

## Recent Publications

### Books, monographs etc.

Hu, Q.M., Wu, T.L., Xia, N.H., Xing, F.W., Lai, P.C.C., & Yip, K.L. (2003). *Rare and Precious Plants of Hong Kong*. AFCD, Friends of the Country Parks, & Cosmos Books, Hong Kong.

Lee, Y.M. (2003). *Walkers' Companion*. Friends of the Country Parks and Cosmos Books, Hong Kong.

Ngar, Y.N. (2003). *Geographical Landmarks*. Friends of the Country Parks and Cosmos Books, Hong Kong.

Taylor, J.E. & Hyde, K.D. (2003). *Microfungi on Tropical and Temperate Palms*. Fungal Diversity Press, Hong Kong.

Tsui, C.K.M. & Hyde, K.D. (2003). *Freshwater Mycology. Fungal Diversity Research Series 10*. Fungal Diversity Press, Hong Kong.

Various Authors (2003). *Lantau Island - Its Beautiful Countryside*. Friends of the Country Parks and Cosmos Books, Hong Kong.

Wilson, K.D.P. (2003). *Field Guide to the Dragonflies of Hong Kong*. Friends of the Country Parks and Cosmos Books, Hong Kong.

### Journal articles, book chapters and other published papers

PMEC = *Perspectives on Marine Environmental Change in Hong Kong and Southern China: 1977-2001* (ed B. Morton), Hong Kong University Press, Hong Kong.

TT = *Turning the Tides: A Festschrift in Honour of Professor Brian Morton*. (ed P.K.S. Shin), The Marine Biological Association of Hong Kong, Hong Kong.

Bamber, R.N., & Shearer, M. (2003). A reinterpretation of the taxonomy and zoogeography of *Pakistanapseudes* and *Swireapseudes* (Crustacea: Tanaidacea): Hong Kong taxa in the world context. *PMEC*: 167-194.

Bamber, R.N. (2003). New species of Amphipoda from Hong Kong shores. *PMEC*: 195-207.

Bordoni, A. (2002). Xantholinini della Regione Orientale (Coleoptera: Staphylinidae). Classificazione, filogenesi e revisione tassonomica. [Includes *Indolinus sculptilis*, and *Lepidophallus flavus* from HK]. *Museo Regionale di Scienze Naturali Monografie (Turin)* 33: 1-998.

Boudry, P., Heurtebise, S., & Lapegue, S. (2003). Mitochondrial and nuclear DNA sequence variation of presumed *Crassostrea gigas* and *Crassostrea angulata* specimens: a new oyster species in Hong Kong? *Aquaculture* 228: 15-25.

Broom, M., Chiu, G., & Lee, A. (2003). Long-term water quality trends in Hong Kong. *PMEC*: 519-536.

Bussaban, B., Lumyong, P., McKenzie, E.H.C., Hyde, K.D., & Lumyong, S. (2003). *Xenosporium amomi* sp nov from Zingiberaceae in Thailand. *Fungal Diversity* 14: 61-66.

Cai, L.Z., Ma, L., Gao, Y., Lin, J.D., Lin, P., & Zheng, T.L. (2003). Temporal variations in *Apeudes mortoni* (Crustacea: Tanaidacea) densities on an intertidal mudflat at Futian, Deep Bay, China. *PMEC*: 401-407.

Cai, L., Zhang, K.Q., & Hyde, K.D. (2003). Freshwater ascomycetes. *Fungal Diversity Research Series* 10: 275-324.

Cai, L., Zhang, K.Q., McKenzie, E.H.C., & Hyde, K.D. (2003). Freshwater fungi from bamboo and wood submerged in the Liput River in the Philippines. *Fungal Diversity* 13: 1-12.

Cai, L., Zhang, K.Q., McKenzie, E.H.C., Lumyong, S., & Hyde, K.D. (2003). New species of *Canalisporium* and *Dictyosporium* from China and a note on the differences between these genera. *Cryptogamie Mycologie* 24: 3-11.

Chan, B.P.L. (2003). Snakeheads (Teleost: Channidae) of Hong Kong, South China. *Labyrinth* 128: 1-7.

Chan, K., & Morton, B. (2003). The effects of organotin pollution on *Nassarius festivus* (Powys, 1835) (Gastropoda: Nassariidae) in Hong Kong. *PMEC*: 557-580.

Chan, Y.K., Wong, C.K., Hsieh, D.P.H., Ng, S.P., Lau, T.K., & Wong, P.K. (2003). Application of a toxicity identification evaluation for a sample of effluent discharged from a dyeing factory in Hong Kong. *Environmental Toxicology* 18: 312-316.

Chen, C.A., Lam, K.K., Nakano, Y., & Tsai, W.S. (2003). A stable association of the stress-tolerant zooxanthellae, *Symbiodinium* clade D, with the low-temperature-tolerant coral, *Oulastrea crispata* (Scleractinia : Faviidae) in subtropical non-reefal coral communities [including Hong Kong]. *Zoological Studies* 42: 540-550.

Chen, Q.C., Wong, C.K., Tam, P.F., Lee, C.N.W., Yin, J.Q., Huang, L.M., & Tam, Y.H. (2003). Variations in the abundance and structure of the planktonic copepod community in the Pearl River estuary, China. *PMEC*: 389-400.

Cheung, S.G., Ho, Y.Y., & Shin, P.K.S. (2003). Clam harvesting on soft shores in Hong Kong - the extent of the activity and its ecological significance. *TT*: 255-267.

- Chiu, H.M.C., & Morton, B. (2003). The status of horseshoe crabs in Hong Kong. *PMEC*: 743-758.
- Clarke, S., Wai-yin, A.L., Mak, Y.M., Kennish, R., & Haggan, N. (2002). Consultation with local fishers on the Hong Kong artificial reefs initiative. *ICES Journal of Marine Science* 59: S171-S177.
- Du, H.J., Chen, X.L., & Chan, B.P.L. (2003). Comparison and clarification between *Nicholsicypris normalis* and *Yaoshanicus arcus*. *Journal of South China Normal University (Natural Science Edition)* 2: 96-100.
- Easton, E.R., & Liang, G.Q. (2000). The odonata of Macao, southern China. *Notul. Odontatol.* 5(6):75-80.
- Fellowes, J.R., & Dudgeon, D. (2003). Common ants of lowland forests in Hong Kong, tropical China. In *Proceedings of the 2nd ANeT Workshop and Seminar*. (eds. M. Mohamed, J.R. Fellowes & S. Yamane), pp. 19-43, Universiti Malaysia Sabah, Malaysia.
- Feng, J., Li, Z.X., Chen, M., Liu, Y., Zhang, X.C., & Zhou, J. (2003). Morphological features, echolocation calls and foraging strategy in the trawling piscivorous bat: Rickett's big-footed bat *Myotis ricketti*. *Acta Ecologica Sinica* 23: 1712-1718.
- Freeman, S.M. (2003). Size-dependent distribution, abundance and diurnal rhythmicity patterns in the short-spined sea urchin *Anthocidaris crassispina*. *Estuarine Coastal and Shelf Science* 58: 703-713.
- Garth Jones, E.B., & Vrijmoed, L.L.P. (2003). Biodiversity of marine fungi in Hong Kong coastal waters. *PMEC*: 75-92.
- Gibson, R., & Sundberg, P. (2003). The nemerteans of Hong Kong: their diversity, origins and endemism. *PMEC*: 109-119.
- Goh, T.K., & Tsui, C.K.M. (2003). Key to common dematiaceous hyphomycetes from freshwater. *Fungal Diversity Research Series* 10: 325-343.
- Gracio, A.J.S., Ribeiro, H., Ramos, H.C., & Easton, E.R. (1999). First record of blackflies (Diptera: Simuliidae) from Macau. *Acta Parasitologica Portuguesa* 2 (1/2): 89-91.
- Gu, J.D. (2003). Microbiological deterioration and degradation of synthetic polymeric materials: recent research advances. *International Biodeterioration & Biodegradation* 52: 69-91.
- Guo, L.D., Huang, G.R., Wang, Y., He, W.H., Zheng, W.H., & Hyde, K.D. (2003). Molecular identification of white morphotype strains of endophytic fungi from *Pinus tabulaeformis*. *Mycological Research* 107: 680-688.
- Hao, C.B., Yan, J., Qu, M.M., Wang, D., Cheng, S.P., Gu, J.D., Qiu, W.F., & Wang, Y.Y. (2003). Analysis of parental strain DNA fragments existing in GEMs-Fhhh. *Journal of Environmental Sciences-China* 15: 590-594.
- Hau, B.C.H., & Corlett, R.T. (2003). Factors affecting the early survival and growth of native tree seedlings planted on a degraded hillside grassland in Hong Kong, China. *Restoration Ecology* 11: 483-488.
- Hau, B.C.H., & So, K.K.Y. (2003). Using native trees to restore degraded hillsides in Hong Kong, China. In *Bring back the forests: policies and practices for degraded lands and forests*. (eds. H.C. Sim, S. Appanah & P.B. Durst), pp. 179-190. FAO, Bangkok.
- Hava, J. (2003). Descriptions of five new species and distributional notes on some other *Thaumaglossa* species (Coleoptera: Dermestidae) [*T. herrmanni* sp. nov. Hong Kong]. *Lambillionea* 103: 205-213.
- Huang, Z.G. (2003). Marine biofouling in Hong Kong: a review. *Acta Oceanologica Sinica* 22: 467-482.
- Hyde, K.D. (2003). Mycology and its future in the Asia region. *Fungal Diversity* 13: 59-68.
- Hyde, K.D. (2003). Mycology in Asia, the past, present, and future needs. In *Global Taxonomy in Nature* (ed. J. Shimura), pp. 210-205, Japan.
- Hyde, K.D., & Goh, T.K. (2003). Adaptations for dispersal in filamentous freshwater fungi. *Fungal Diversity Research Series* 10: 231-258.
- Jeewon, R., Cai, L., Liew, E.C.Y., Zhang, K.Q., & Hyde, K.D. (2003). *Dyrithiopsis lakefuxianensis* gen. et sp nov from Fuxian Lake, Yunnan, China, and notes on the taxonomic confusion surrounding *Dyrithium*. *Mycologia* 95: 911-920.
- Jim, C.Y., & Xu, S.S. (2003). Getting out of the woods: quandaries of protected area management in China. *Mountain Research and Development* 23: 222-226.
- Kennish, R., Wilson, K.D.P., Lo, J., Clarke, S.C., & Laister, S. (2002). Selecting sites for large-scale deployment of artificial reefs in Hong Kong: constraint mapping and prioritization techniques. *Ices Journal of Marine Science* 59: S164-S170.
- Kodada, J., & Boukal, D.S. (2003). Dryopidae: II. Description of *Ceradryops matei* sp.n. from Hong Kong, and synonymical note on the genus *Uenodryops* Satô (Coleoptera). In *Water Beetles of China, Vol. 3* (eds. M.A. Jäch & L. Ji), pp. 473-479, Zoologisch-Botanische Gesellschaft in Österreich and Wiener Coleopterologenverein, Wien.
- Lai, C.H., Tsui, J.C.Y., & Leung, K.M.Y. (2003). Distribution and demography of Stomatopoda in the subtidal marine environment of Hong Kong. *TT*: 159-183.
- Lai, P.C.C., & Yip, J. (2003). *Illigera celebica* at the Shing Mun Arboretum. *Hong Kong Biodiversity* 5: 9.

- Lam, K. (2003). Morphological variations in oyster shell form (Bivalvia: Ostreidae): phenotypic plasticity identified by genotypic analysis. *TT*: 103-133.
- Lam, K., & Morton, B. (2003). Hong Kong's subtidal oysters (Bivalvia: Ostreidae). *PMEC*: 313-330.
- Lam, K., Morton, B., Boudrey, P., & Heurtebise, S. (2003). Morphological and mitochondrial DNA characteristics of two cultured cupped oysters (Bivalvia: Ostreidae) in Hong Kong: towards a significant taxonomic name change. *PMEC*: 331-346.
- Lam, K.K.Y. (2003). Coral recruitment onto an experimental pulverised fuel ash-concrete artificial reef. *Marine Pollution Bulletin* 46: 642-653.
- Lam, K.K.Y. (2003). Epibenthic community development on an experimental pulverised fuel ash (PFA) artificial reef. *Asian Marine Biology* 18: 71-90.
- Lau, S.K., Lee, J., & Young, L. (2003). History and importance of pond-fish farming in and around the Mai Po Inner Deep Bay Ramsar Site, Hong Kong SAR, P.R. China. *TT*: 287-298.
- Leader, P.J., & Carey, G.J. (2003). Identification of Pintail Snipe and Swinhoe's Snipe [in Hong Kong]. *British Birds* 96: 178-198.
- Lee, N.W.C. (2003). Seasonal changes in the planktonic copepod community of the southeastern coastal waters of Hong Kong. *PMEC*: 367-387.
- Lee, N.W.C., & Chen, Q.C. (2003). A historical and biogeographical analysis of the marine planktonic copepod community in Hong Kong: A record of change. *PMEC*: 433-457.
- Leung, A.W.Y. (2003). Overfishing and changes to the fishing industry in Hong Kong. *PMEC*: 719-737.
- Leung, G., & Gu, J.D. (2003). Potential degradation of polyaromatic hydrocarbons under anaerobic conditions of mangrove ecosystem. *Ecologic Science* 22: 97-103.
- Leung, K.F., & Hodgson, P.A. (2003). The occurrence of seabed debris in Hong Kong: A comparison of changes between the 1995 and 2001 trawl surveys. *PMEC*: 593-613.
- Leung, K.F., & Morton, B. (2003). Effects of long-term anthropogenic perturbations on four subtidal epibenthic molluscan communities in Hong Kong. *PMEC*: 657-720.
- Leung, S.F. (2003). The penaeoid prawns of Hong Kong: identities and community trends. *TT*: 135-157.
- Leung, S.F., & Leung, K.F. (2003). Hong Kong's penaeid prawns: A decade long record of change in community composition. *PMEC*: 615-653.
- Li, L. (2003). Hong Kong's Isopods. *PMEC*: 138-166.
- Li, Z. (2003). The incidence of imposex in intertidal gastropods from Hong Kong. *TT*: 237-254.
- Liu, M., & Sadovy, Y. (2003). Histological description of embryonic development in the Chocolate hind, *Cephalopholis boenak* (Bloch, 1790) (Serranidae: Epinephelinae). *PMEC*: 475-478.
- Ma, J., Jones, G., Zhang, S., Shen, J., Metzner, W., Zhang, L., & Liang, B. (2003). Dietary analysis confirms that Rickett's big-footed bat (*Myotis ricketti*) is a piscivore. *Journal of Zoology* 261: 245-248.
- Ma, O.S.W., & Saunders, R.M.K. (2003). Comparative floral ontogeny of *Maesa* (Maesaceae), *Aegiceras* (Myrsinaceae) and *Embelia* (Myrsinaceae): taxonomic and phylogenetic implications. *Plant Systematics and Evolution* 243: 39-58.
- Macdonald, R.W., Morton, B., Addison, R.F., & Johannessen, S. (2002). Marine environmental contaminant issues in the North Pacific: what are the dangers and how do we identify them? *PICES Scientific Report* 22: 61-86.
- Maller, C.J., & Jones, D.N. (2001). Vocal behaviour of the Common Koel, *Eudynamis scolopacea*, and implications for mating systems. [Quote: "keek-whik-whik-wurroo-keek-wurroo-keek-wurroo-keek-wurroo-wuroo"]. *Emu* 101: 105-112.
- McMahon, R.F. (2003). Contributions of the Hong Kong malacological and marine workshops to the comparative and ecological physiology of intertidal invertebrates. *PMEC*: 479-515.
- Morley, N.J., Leung, K.M.Y., Morritt, D., & Crane, M. (2003). Toxicity of anti-fouling biocides to *Parorchis acanthus* (Digenea: Philophthalmidae) encystment. *Diseases of Aquatic Organisms* 54: 55-60.
- Morton, B. (2003). Slaughter at sea. *Marine Pollution Bulletin* 46: 379-380.
- Morton, B. (2003). Ningaloo. *Marine Pollution Bulletin* 46: 1213-1214.
- Morton, B. (2003). Hong Kong's gloom and doom. *Marine Pollution Bulletin* 46: 1359-1360.
- Morton, B. (2003). Hong Kong's international malacological, wetland and marine biological workshops (1977-1998): changing local attitudes towards marine conservation. *PMEC*: 31-37.
- Morton, B. (2003). Marine protected areas in Hong Kong: progress towards coastal zone management (1977-2002). *PMEC*: 799-825.
- Morton, B., & Britton, J.C. (2003) The behaviour and feeding

ecology of a suite of gastropod scavengers at Watering Cove, Burrup Peninsula, Western Australia, Australia. In *the Eleventh International Marine Biological Workshop (2000)* (eds. F.E. Wells, D.I. Walker & D.S. Jones), pp. 25, The Western Australian Museum, Perth.

Morton, B., & Chan, K. (2003). The effects of organotin pollution on *Nassarius festivus* (POWYS, 1835) (Gastropoda: Nassariidae) in Hong Kong. In *Perspectives on Marine Environmental Change in Hong Kong and Southern China: 1977-2001*, pp. 555-578.

Morton, B., & Jones, D.S. (2003). The dietary preferences of a suite of carrion-scavenging gastropods (Nassariidae, Buccinidae) in Princess Royal Harbour, Albany, Western Australia. *Journal of Molluscan Studies* 69: 151-156.

Ng, S.L. & Leung, S. (2003). Behavioral response of Indo-Pacific humpback dolphin (*Sousa chinensis*) to vessel traffic. *Marine Environmental Research* 56: 555-567.

Ng, S.L. & Sin, F.S. (2003). A diatom model for inferring sea level change in the coastal waters of Hong Kong. *Journal of Paleolimnology* 30: 427-440.

Ng, W.C. & Morton, B. (2003). Genetic structure of the scleractinian coral *Platygyra sinensis* in Hong Kong. *Marine Biology* 143: 963-968.

Ng, W.C., Sadovy, Y., & Leung, F.C.C. (2003). Mating system of the rockfish, *Sebastes marmoratus* as revealed by DNA fingerprinting. *Ichthyological Research* 50(4):339-348.

Paulus, B., Gadek, P., & Hyde, K.D. (2003). Estimation of microfungus diversity in tropical rainforest leaf litter using particle filtration: the effects of leaf storage and surface treatment. *Mycological Research* 107: 748-756.

Paulus, B., Gadek, P., & Hyde, K.D. (2003). Two new species of *Dactylaria* (anamorphic fungi) from Australian rainforests and an update of species in *Dactylaria* sensu lato. *Fungal Diversity* 14: 143-156.

Paulus, B.C., Barr, M.E., Gadek, P., & Hyde, K.D. (2003). Three new ascomycetes from a tropical Australian rainforest. *Mycotaxon* 88: 87-96.

Peart, M.R. (2003). Carbon and nitrogen content of suspended matter in a Hong Kong drainage basin. *Hydrobiologia* 494: 215-222.

Photita, W., Lumyong, P., McKenzie, E.H.C., Hyde, K.D., & Lumyong, S. (2003). Saprobic fungi on dead wild banana. *Mycotaxon* 85: 345-356.

Pinnoi, A., McKenzie, E.C., Jones, E.B.G., & Hyde, K.D. (2003). Palm fungi from Thailand: *Custingophora undulatiipes* sp nov and *Vanakripta minutiellipsoidea* sp nov. *Nova Hedwigia* 77: 213-219.

Platia, G. & Schimmel, R. (2002). Revisione delle specie orientali (Giappone e Taiwan esclusi) del genere *Melanotus* Eschscholtz, 1829 (Coleoptera, Elateridae, Melanotinae). I. Supplemento. [*Melanotus rougemonti* and *M. globosus* in Hong Kong]. *Museo Regionale di Scienze Naturali Bollettino (Turin)* 19: 305-388.

Pointing, S.B., Parungao, M.M., & Hyde, K.D. (2003). Production of wood-decay enzymes, mass loss and lignin solubilization in wood by tropical Xylariaceae. *Mycological Research* 107: 231-235.

Porter, L.J. (2002). A re-description of *Sousa chinensis* (Osbeck, 1765) (Mammalia: Delphinidae) and designation of a neotype. *The Bulletin of the Natural History Museum of London (Zool.)* 68: 27-37.

Porter, L.J. & Morton, B. (2003). A description of the first intact dwarf sperm whale from the South China Sea and a review of documented specimens of the Kogiidae (Cetacea) from Hong Kong. *Systematics and Biodiversity* 1: 1-9.

Qian, P.Y., Qiu, J.W., Kennish, R., & Reid, C.A. (2003). Recolonization of benthic infauna subsequent to capping of contaminated dredged material in East Sha Chau, Hong Kong. *Estuarine Coastal and Shelf Science* 56: 819-831.

Qiu, J.W., Thiyagarajan, V., Leung, A.W.Y., & Qian, P.Y. (2003). Development of a marine subtidal epibiotic community in Hong Kong: implications for deployment of artificial reefs. *Biofouling* 19: 37-46.

Rainbow, P.S., Blackmore, G., & Wang, W.X. (2003). Effects of previous field-exposure history on the uptake of trace metals from water and food by the barnacle *Balanus amphitrite*. *Marine Ecology Progress Series* 259: 201-213.

Ramos, H.C., Ribeiro, H., Easton, E.R., & Novo, M.T. (1999). Lista anotada dos mosquitos de Macau (Diptera: Culicidae). *Acta Parasitologica Portuguesa* 2 (1/2): 79-86.

Ribeiro, H., Komar, N., Easton, E.R., Baptista, S., Panella, N.A., & Anselmo, M.L. (1998). Contribuicao para o conhecimento das pulgas de Macau (Insecta: Siphonaptera). *Acta Parasitologica Portuguesa* 5(2): 111-112.

Seed, R., & Richardson, C.A. (2003). Mussels: catalysts to understanding change on rocky shores. *PMEC*: 409-432.

Sewall, B.J., Granek, E.F., & Trehwella, W.J. (2003). Ecology and conservation of the Comoros rousette, *Rousettus obliviosus*. *Oryx* 37: 344-352.

Shin, P.K.S. (2003). Changes in benthic infaunal communities in Tolo Harbour: will the trend continue? *PMEC*: 579-592.

Shek, C.T. (2003). Survey of Hong Kong non-flying terrestrial mammals by camera trapping in 2002. *Hong Kong Biodiversity* 5: 10-11.

- Sheue, C.R., Liu, H.Y., & Yong, J.W.H. (2003). *Kandelia obovata* (Rhizophoraceae), a new mangrove species from Eastern Asia [including Hong Kong!]. *Taxon* 52: 287-294.
- Smit, H. (2002). Two new species of the water mite family Pontarachnidae (Acari: Hydrachnidia), with a discussion of the taxonomic status of *Pontarachna hinumaensis* Imamura. [Includes *Litarachna hongkongensis* new from HK]. *Zootaxa* 22: 1-8.
- Smith, G.J.D., Liew, E.C.Y., & Hyde, K.D. (2003). The Xylariales: a monophyletic order containing 7 families. *Fungal Diversity* 13: 175-208.
- So, N.H. (2004). Our back yard. *Silkroad* [Inflight magazine of Dragonair] January: 14-15.
- Su, Y.C.F., & Saunders, R.M.K. (2003). Pollen structure, tetrad cohesion and pollen-connecting threads in *Pseuduvaria* (Annonaceae). *Botanical Journal of the Linnean Society* 143: 69-78.
- Sun, J., Song, X.X., Yin, K.D., & Liu, D.Y. (2003). Preliminary study of microzooplankton herbivory in Hong Kong in summer. *Acta Ecologica Sinica* 23: 712-724.
- Tam, N.F.Y., Guo, C.L., Yau, C., Ke, L., & Wong, Y.S. (2003). Biodegradation of polycyclic aromatic hydrocarbons (PAHs) by microbial consortia enriched from mangrove sediments. *Water Science and Technology* 48: 177-183.
- Tam, T.W. (2003). Four new dragonfly records for Hong Kong. *Hong Kong Biodiversity* 5: 8-9.
- Tang, A.M.C., Hyde, K.D., & Corlett, R.T. (2003). Diversity of fungi on wild fruits in Hong Kong. *Fungal Diversity* 14: 165-185.
- Tang, A.M.C., Hyde, K.D., Tsui, K.M., & Corlett, R.T. (2003). A new species of *Lophiotrema* from wild fruit in Hong Kong. *Persoonia* 18: 265-269.
- Tang, B.P., Zhou, K.Y., Song, D.X., Yang, G., & Dai, A.Y. (2003). Molecular systematics of the Asian mitten crabs, genus *Eriocheir* (Crustacea: Brachyura). *Molecular Phylogenetics and Evolution* 29: 309-316.
- Thiyagarajan, V., & Qian, P.Y. (2003). Effect of temperature, salinity and delayed attachment on development of the solitary ascidian *Styela plicata* (Lesueur). *Journal of Experimental Marine Biology and Ecology* 290: 133-146.
- Tong, X., & Dudgeon, D. (2003). *Choroterpes* (*Choroterpes*) *petersi*, a new species of Leptophlebiidae (Insecta: Ephemeroptera) from China. *Pan-Pacific Entomologist* 79: 71-74.
- Tong, X., & Dudgeon, D. (2003). Two new species of Heptageniidae from China (Insecta, Ephemeroptera). *Acta Zootaxonomica Sinica* 28: 469-473.
- Tong, X., & Dudgeon, D. (2003). The adult of *Cloeodes longisetosus* (Braasch & Soldan, 1980) and revised description of the larva (Ephemeroptera: Baetidae). *Acta Zootaxonomica Sinica* 28: 669-672.
- Tseng, C.K. (2003). Prevention of aquaculture pollution using seaweeds. PMEC: 537-542.
- Tsim, S.T., Lee, W.H., Cheung, C.S., Chow, K.L., Ma, Y.N., & Liu, K.Y. (2003). The population and breeding ecology of white-bellied sea-eagle in Hong Kong. *Hong Kong Biodiversity* 5: 1-7.
- Tsui, C.K.M., & Hyde, K.D. (2003). Freshwater mycology - Introduction. *Fungal Diversity Research Series* 10: 1-9.
- Tsui, C.K.M., Hyde, K.D., & Hodgkiss, I.J. (2003). Methods for investigating the biodiversity and distribution of freshwater ascomycetes and anamorphic fungi on submerged wood. *Fungal Diversity Research Series* 10: 195-209.
- Ugland, K.I., Gray, J.S., & Ellingsen, K.E. (2003). The species-accumulation curve and estimation of species richness. *Journal of Animal Ecology* 72: 888-897.
- Uma, L., Selvaraj, K., Manjula, R., Subramanian, G., & Nagarkar, S. (2002). Biotechnological potential of marine cyanobacteria in wastewater treatment disinfection of raw sewage by *Oscillatoria willei* BDU130511. *J. Microbiol. Biotechnol.* 12: 699-701.
- Wan, M. (2003). The status of scleractinian corals in Hong Kong, with a survey of diver's opinions. PMEC: 757-781.
- Wang, H.Z., & Erseus, C. (2004). New species of *Doliodrilus* and other Limnodriloidinae (Oligochaeta, Tubificidae) from Hainan and other parts of the north-west Pacific Ocean. *Journal of Natural History* 38: 269-299.
- Warren-Rhodes, K., Sadovy, Y., & Cesar, H. (2003). Marine ecosystem appropriation in the Indo-Pacific: A case study of the live reef fish food trade. *Ambio* 32: 481-488 [erratum on Fig.1 to be published subsequently].
- Wilson, K.D.P., Leung, A.W.Y., & Kennish, R. (2002). Restoration of Hong Kong fisheries through deployment of artificial reefs in marine protected areas. *ICES Journal of Marine Science* 59: S157-S163.
- Wong, C.K., & Wong, C.K. (2003). HPLC pigment analysis of marine phytoplankton during a red tide occurrence in Tolo Harbour, Hong Kong. *Chemosphere* 52: 1633-1640.
- Wong, E., Leung, P.C., Sze, P., Wong, A., & Li, V. (2003). New butterfly record for Hong Kong - *Thoressa monastyrskyi*. *Hong Kong Biodiversity* 5: 7.
- Wong, P.P.S. (2003). Review of red tide research and management in Hong Kong. TT: 299-330.

Wong, W.H. & Cheung, S.G. (2003). Site-related differences in the feeding physiology of the green mussel *Perna viridis*: a reciprocal transplantation experiment. *Marine Ecology Progress Series* 258: 147-159.

Wu, R. (2003). Biography of a distinguished marine biologist, Professor Brian Morton, and his contributions to marine science. In *Turning the Tides: A Festschrift in Honour of Professor Brian Morton* (ed. P.K.S. Shin), pp. 1-12.

Xing, F., Qin, X., & Yan, Y. (2003). The Flora of Macau. *Bulletin of Botanical Research* 23: 472-477.

Yam, R.S.W., & Cai, Y. (2003) *Caradina trifasciata*, a new species of freshwater shrimp (Decapoda: Atyidae) from Hong Kong. *Raffles Bulletin of Zoology* 51: 277-282.

Yan, T., Yan, W.X., Dong, Y., Liang, G.H., Yan, Y., & Wang, H.J. (2003). Fouling in offshore areas southeast of the Zhujiang (Pearl) River Delta, the northern South China Sea. *Acta Oceanologica Sinica* 22: 201-211.

Yan, Y.Y. (2002). Extreme temperature days in Hong Kong. *Physical Geography* 23: 476-491.

Yang, K.Y., Lee, S.Y., & Williams, G.A. (2003). Selective feeding by the mudskipper (*Boleophthalmus pectinirostris*) on the microalgal assemblage of a tropical mudflat. *Marine Biology* 143: 245-256.

Ye, Y., Tam, N.F.Y., Wong, Y.S., & Lu, C.Y. (2003). Growth and physiological responses of two mangrove species (*Bruguiera gymnorrhiza* and *Kandelia candel*) to waterlogging. *Environmental and Experimental Botany* 49: 209-221.

Yin, K.D. (2003). Influence of monsoons and oceanographic processes on red tides in Hong Kong waters. *Marine Ecology Progress Series* 262: 27-41.

Yu, Y. (2001). Two new species and some new records of biting midges from Hong Kong, China (Diptera: Ceratopogonidae). *Jishengchong Yu Yixue Kunchong Xuebao* 8: 159-163.

Yu, Y.T. (2002). Oriental reed warblers at Mai Po Marshes Nature Reserve, Hong Kong during autumn 1997. *Hong Kong Bird Report* 1998: 120-127.

Zhang, L. & Corlett, R.T. (2003). Phytogeography of Hong Kong bryophytes. *Journal of Biogeography* 30: 1329-1337.

Zhao, B., Qiu, H.W., & Qian, P.Y. (2003). Effects of food availability on larval development in the slipper limpet *Crepidula onyx* (Sowerby). *Journal of Experimental Marine Biology and Ecology* 294: 219-233.

Zhou, H. (2003). Marine oligochaete assemblages in a Hong Kong mangrove and adjacent foreshore sandflat, with a description of a new species. *PMEC*: 122-135.

**Porcupine! No. 30**  
**January 2004**  
**ISSN 1025-6946**

**Chief Editors:** Yvonne Sadovy  
Richard Corlett

**Assistant Editors:** Rachel Wong  
Laura Wong

**Wild Corner:** Jacqueline Weir  
Elsa Lee

Published by **the Department of Ecology & Biodiversity**, The University of Hong Kong.

**Article submissions:**  
***Porcupine!***

Ms Eva Tam, Department of Ecology & Biodiversity The University of Hong Kong.

Tel: 22990612 Fax: 25176082

**Email address:**  
[Ecology@hkucc.hku.hk](mailto:Ecology@hkucc.hku.hk)

**Website:**  
[www.hku.hk/ecology/porcupine/](http://www.hku.hk/ecology/porcupine/)

**Guidelines for contributions :**

All contributions are welcomed. Any original article related to natural history, conservation or ecological research in Hong Kong will be considered for publication. Authors of long articles should send their work as a Word file, either by post (on disk, with hard copy attached) or by email. Original artwork should be sent by post (please indicate if return of material is required). Short articles (less than a hundred words) may be faxed or posted.

Articles from *Porcupine!* may be reprinted without permission. Please acknowledge source and author.

All authors can be contacted through *Porcupine!* unless alternative contact details have been provided.