

Recent Publications

Books, monographs etc.

Ades, G.W.J. & Kendrick, R.C. (2004) *Hong Kong Fauna: A Checklist of Selected Taxa*. Fauna Conservation Department, KFBG, Hong Kong.

Dudgeon, D., & Corlett, R. (2004) *The Ecology and Biodiversity of Hong Kong*. Friends of the Country Parks, Joint Publishing (HK) Company Ltd.

Ho, K.C., Lu, S., Yu, T.S., & Wong, K.F., eds. (2003) *Proceedings of the International Conference on the Prevention and Management of Harmful Algal Blooms in the South China Sea (HABSCS 2003), Hong Kong, 5-7 November 2003*. The Association of Harmful Algal Blooms in the South China Sea, Hong Kong.

Mottershead, T., ed. (2004) *Sustainable Development in Hong Kong*. Hong Kong University Press, Hong Kong.

Wong, C., Lau, M., Ades, G., Chan, B., & Ng, S.C. (2004) *A Pilot Biodiversity Survey of the Eastern Frontier Closed Area and North East New Territories, June-December 2003*. KFBG, Hong Kong.

Journal articles, book chapters and other published papers

Ang, P.O. (2004). Asian Pacific Phycology in the 21st Century: Prospects and Challenges - Proceedings of the Second Asian Pacific Phycological Forum, held in Hong Kong, China, 21-25 June 1999 - Introduction. *Hydrobiologia* 512: IX-XI.

Anon (2004). Save the fish ponds. *Green Country [Green Power]* 47: 3-9.

Barros, N.B., Jefferson, T.A., & Parsons, E.C.M. (2004). Feeding habits of the Indo-Pacific humpback dolphins (*Sousa chinensis*) stranded in Hong Kong. *Aquatic Mammals* 30: 177-186.

Becker, G.K. (2003). Bioethics with Chinese characteristics: The development of bioethics in Hong Kong. In *Regional Perspectives in Bioethics*, pp. 261-284.

Buchary, E.A., Cheung, W.L., Sumaila, U.R., & Pitcher, T.J. (2003). Back to the future: a paradigm shift for restoring Hong Kong's marine ecosystem. *Proceedings of the Third World Fisheries Congress* 38: 727-746.

Bucher, V.V.C., Hyde, K.D., Pointing, S.B., & Reddy, C.A. (2004). Production of wood decay enzymes, mass loss and lignin solubilization in wood by marine ascomycetes and their anamorphs. *Fungal Diversity* 15: 1-14.

Cai, L., Tam, N.F.Y., Wong, T.W.Y., Li, M., Yang, G., & Wong, Y.S. (2003). Using benthic macrofauna to assess environmental quality of four intertidal mudflats in Hong Kong and Shenzhen coast. *Acta Oceanologica Sinica* 22: 309-319.

Cai, L., Zhang, K.Q., McKenzie, E.H.C., & Hyde, K.D. (2003). New species of *Dictyosporium* and *Digitodesmium* from submerged wood in Yunnan, China. *Sydowia* 55: 129-135.

Cai, L., Zhang, K.Q., McKenzie, E.H.C., & Hyde, K.D. (2004). *Linocarpon bambusicola* sp nov and *Dictyochaeta curvispora* sp nov from bamboo submerged in freshwater. *Nova Hedwigia* 78: 439-445.

Cai, L., Zheng, T., Lin, J., Ma, L., Gao, Y., & Lin, P. (2003). Spatial and temporal distributions of *Dendronereis pinnaticirris* and *Neanthes glandicincta* (Polychaeta: Nereididae) in the organically-enriched mudflat of Deep Bay, China. *Asian Marine Biology* 18: 25-33.

Chan, C.Y., Chan, L.Y., & Harris, J.M. (2003). Urban and background ozone trend in 1984-1999 at subtropical Hong Kong, South China. *Ozone-Science & Engineering* 25: 513-522.

Chan, L.L., Hodgkiss, I.J., Lu, S., & Lo, S.C.L. (2004). Use of two-dimensional gel electrophoresis proteome reference maps of dinoflagellates for species recognition of causative agents of harmful algal blooms. *Proteomics* 4: 180-192.

Chan, S.K.F., Chan, J.K., Lo, L.T., & Balazs, G.H. (2003). Satellite tracking of the post-nesting migration of a green turtle (*Chelonia mydas*) from Hong Kong. *Marine Turtle Newsletter* 102: 2-4.

Chelazzi, G., De Pirro, M., & Williams, G.A. (2004). Different cardiac response to copper in limpets from metal polluted and clean shores of Hong Kong. *Marine Environmental Research* 58: 83-93.

Chen, Y.L., Chen, H.C., Karl, D.M., & Takahashi, M. (2004). Nitrogen modulates phytoplankton growth in spring in the South China Sea. *Continental Shelf Research* 24: 527-541.

Cheung, S.G., Lam, S., Gao, Q.F., Mak, K.K., & Shin, P.K.S. (2004). Induced anti-predator responses of the green mussel, *Perna viridis* (L.), on exposure to the predatory gastropod, *Thais clavigera* Kuster, and the swimming crab, *Thalamita danae* Stimpson. *Marine Biology* 144: 675-684.

Chiu, H.M.C., & Morton, B. (2003). The morphological differentiation of two horseshoe crab species, *Tachypleus tridentatus* and *Carcinoscorpius rotundicauda* (Xiphosura), in

- Hong Kong with a regional Asian comparison. *Journal of Natural History* 37: 2369-2382.
- Chu, M., Kong, C., Lau, M., Lau, S., Leung, A., Leung, K.F., Pang, K.N., So, S., Wong, D., & Vor, Y. (2004). Scouring Chi Ma Wan, Pui O, Cheung Sha, Tong Fuk, Shui Hau. *Hong Kong Discovery* 22: 16-47.
- Clarke, S. (2004). Understanding pressures on fishery resources through trade statistics: a pilot study of four products in the Chinese dried seafood market. *Fish and Fisheries* 5: 53-74.
- Corlett, R.T. (2004). Sustainability and biodiversity conservation in Hong Kong. In *Sustainable Development in Hong Kong* (ed T. Mottershead), pp. 421-444. Hong Kong University Press, Hong Kong.
- Cornish, A.S. & DiDonato, E.M. (2004). Resurvey of a reef flat in American Samoa after 85 years reveals devastation to a soft coral (Alcyonacea) community. *Marine Pollution Bulletin* 48: 768-777.
- Cornish, A. & Sadovy, Y. (2004). Diminishing returns: spawning aggregations are at risk in the Indo-Pacific. *Asian Diver* April/May 2004: 28.
- Fan, Y.Z., Wang, Y.Y., Qian, P.Y., & Gu, J.D. (2004). Optimization of phthalic acid batch biodegradation and the use of modified Richards model for modelling degradation. *International Biodeterioration & Biodegradation* 53: 57-63.
- Fang, Z.Q. (2004). Organochlorines in sediments and mussels collected from coastal sites along the Pearl River Delta, South China. *Journal of Environmental Sciences-China* 16: 321-327.
- Fasola, M., Galeotti, P., Dai, N., Dong, Y., & Zhang, Y. (2004). Large numbers of breeding egrets and herons in China. [5 million!]. *Waterbirds* 27: 126-128.
- Fellowes, J.R. & Chan, B.P.L. (2004). Hainan gibbon: concerted action for the world's most endangered ape. *Living Forests* 7: 22-24.
- Gu, J.D., Qiu, W., Koenig, A., & Fan, Y. (2004). Removal of high NO₃- concentrations in saline water through autotrophic denitrification by the bacterium *Thiobacillus denitrificans* strain MP. *Water Science and Technology* 49: 105-112.
- Gu, J.D., Wang, Y., & Li, J. (2004). Degradation of endocrine-disrupting dimethyl phthalate and dimethyl isophthalate by mangrove microorganisms. In *European Symposium on Environmental Biotechnology - ESEB 2004* (ed W. Verstraete), pp. 557-561. A.A. Balkema, London.
- Hill, R.D., Peart, M.R., & Guan, D.-s. (2004). The effects of annual harvesting on the subsequent phytomass and species composition of grassland and fernland: a Hong Kong case. *Singapore Journal of Tropical Geography* 25: 77-91.
- Ho, K.C., Hodgkiss, I.J., & Lam, I.H.Y. (2003). Implications of N:P:Si ratios to harmful algal blooms in Hong Kong waters. In *Recent Advances in Marine Science & Technology* (ed N. Saxena), pp. 489-498. Japan International Marine Science & Technology Federation, Akasaka, Japan.
- Ho, W.H. & Hyde, K.D. (2004). A new type of conidial septal pore in fungi. *Fungal Diversity* 15: 171-186.
- Hodgkiss, I.J. & Lu, S.H. (2004). The effects of nutrients and their ratios on phytoplankton abundance in Junk Bay, Hong Kong. *Hydrobiologia* 512: 215-229.
- Hon, K.L., Kwok, L.W., & Leung, T.F. (2004). Snakebites in children in the densely populated city of Hong Kong: a 10-year survey. *Acta Paediatrica* 93: 270-272.
- Hyde, K.D., & Frohlich, J. (2003). *Nigramammilla calami* gen. et sp. nov. and *Arecomyces calami*, *A-licualae* and *Pseudohalonectria palmae* spp. nov. from palms. *Cryptogamie Mycologie* 24: 13-20.
- Hyde, K.D., & Jeewon, R. (2003). Physiological studies and molecular diversity of freshwater lignicolous fungi. *Fungal Diversity Research Series* 10: 173-193.
- Jeewon, R., Liew, E.C.Y., & Hyde, K.D. (2003). Molecular systematics of the Amphisphaeriaceae based on cladistic analyses of partial LSU rDNA gene sequences. *Mycological Research* 107: 1392-1402.
- Jiang, Y., Fan, K.W., Wong, R.D.Y., & Chen, F. (2004). Fatty acid composition and squalene content of the marine microalga *Schizochytrium mangrovei*. *Journal of Agricultural and Food Chemistry* 52: 1196-1200.
- Jim, C.Y. (2004). Spatial differentiation and landscape-ecological assessment of heritage trees in urban Guangzhou (China). *Landscape and Urban Planning* 69: 51-68.
- Kato, M., Takimura, A., & Kawakita, A. (2003). An obligate pollination mutualism and reciprocal diversification in the tree genus *Glochidion* (Euphorbiaceae). *PNAS* 100: 5264-5267.
- Kong, C.S.L. & Ang, P.O. (2004). Seasonal occurrence and reproduction of *Hypnea charoides* (Rhodophyta) in Tung Ping Chau, NT, Hong Kong SAR, China. *Hydrobiologia* 512: 63-78.
- Lam, I.H.Y., Hodgkiss, I.J., & Ho, K.C. (2003). Integrating an auto-nutrient analyzer into a telemetry system for red tide studies. In *Recent Advances in Marine Science & Technology* (ed N. Saxena), pp. 499-509. Japan International Marine Science & Technology Federation, Akasaka, Japan.
- Lam, J.C.W., Tanabe, S., Chan, S.K.F., Yuen, E.K.W., Lam, M.H.W., & Lam, P.K.S. (2004). Trace element residues in tissues of green turtles (*Chelonia mydas*) from South China Waters. *Marine Pollution Bulletin* 48: 174-182.

- Lam, K., & Morton, B. (2003). Mitochondrial DNA and morphological identification of a new species of *Crassostrea* (Bivalvia : Ostreidae) cultured for centuries in the Pearl River Delta, Hong Kong, China. *Aquaculture* 228: 1-13.
- Lam, K. & Morton, B. (2003). Morphological and ITS1, 5.8S, and partial ITS2 ribosomal DNA sequence distinctions between two species *Playtygyra* (Cnidaria : scleractinia) from Hong Kong. *Marine Biotechnology* 5: 555-567.
- Lam, K.K.Y. (2003). Seasonally-varying competitive hierarchy of sessile invertebrates on an artificial reef. *Asian Marine Biology* 18: 91-103.
- Lee, J.H.W. & Qu, B. (2004). Hydrodynamic tracking of the massive spring 1998 red tide in Hong Kong. *Journal of Environmental Engineering-Asce* 130: 535-550.
- Lee, W.H., Liu, E., Choi, I.C., & Tsim, S.T. (2004). Summer breeding and winter night roosting sites of egrets in Hong Kong 2003. *Hong Kong Biodiversity* 6: 10-12.
- Leung, K.M.Y., Morley, N.J., Grist, E.P.M., Morritt, D., & Crane, M. (2004). Chronic toxicity of tributyltin on development and reproduction of the hermaphroditic snail *Physa fontinalis*: Influence of population density. *Marine Environmental Research* 58: 157-162.
- Leung, K.M.Y., Ibrahim, H., Dewhurst, R.E., Morley, N.J., Crane, M., & Lewis, J.W. (2003). Concentrations of metallothionein-like proteins and heavy metals in the freshwater snail *Lymnaea stagnalis* exposed to different levels of waterborne cadmium. *Bulletin of Environmental Contamination and Toxicology* 71: 1084-1090.
- Leven, M.R. & Corlett, R.T. (2004). Invasive birds in Hong Kong, China. *Ornithological Science* 3: 43-55.
- Li, P.W. & Lai, E.S.T. (2004). Short-range quantitative precipitation forecasting in Hong Kong. *Journal of Hydrology* 288: 189-209.
- Li, X.D., Lee, S.L., Wong, S.C., Shi, W.Z., & Thornton, L. (2004). The study of metal contamination in urban soils of Hong Kong using a GIS-based approach. *Environmental Pollution* 129: 113-124.
- Liu, W.X., Li, X.D., Li, Y.S., Wai, W.O., & Wai, O.W.H. (2004). Characteristics of metal enrichment in Deep Bay, Hong Kong. *Journal of Environmental Sciences-China* 16: 9-12.
- Lu, S.H. & Hodgkiss, I.J. (2004). Harmful algal bloom causative dinoflagellates collected from Hong Kong waters. *Hydrobiologia* 512: 231-238.
- Lucas, P.W., Corlett, R.T., Dominy, N.J., Essackjee, H.C., Riba-Hernandez, P., Stoner, K.E., & Yamashita, N. (2003). Dietary analysis II: food chemistry. In *Field and Laboratory Methods in Primatology: A Practical Guide*. (eds. J.M. Setchell & D.J. Curtis), pp. 199-213, Cambridge University Press, Cambridge.
- Mantel, S.K. & Cornish, A.S. (2004). A piece of paradise? The aquarium fish trade in Hong Kong. *Hong Kong Discovery* 21: 47-49.
- Melville, D.S. & Shortridge, K.F. (2004). Influenza: time to come to grips with the avian dimension. *The Lancet Infectious Diseases* 4: 261-262.
- Morley, N.J., Leung, K.M.Y., Morritt, D., & Crane, M. (2004). Toxicity of anti-fouling biocides to encysted metacercariae of *Echinoparyphium recurvatum* (Digenea: Echinostomatidae) and their snail hosts. *Chemosphere* 56: 353-358.
- Morton, B. (2003). The functional morphology of *Bentholyonsia teramachii* (Bivalvia : Lyonsiellidae): clues to the origin of predation in the deep water Anomalodesmata. *Journal of Zoology* 261: 363-380.
- Morton, B. (2003). The biology and functional morphology of *Dianadema gen. nov multangularis* (Tate, 1887) (Bivalvia: Anomalodesmata : Clavagellidae). *Journal of Zoology* 259: 389-401.
- Morton, B. (2004). Marine pollution of a more ruthless kind. *Marine Pollution Bulletin* 48: 1-2.
- Nagarkar, S., Williams, G.A., Subramanian, G., & Saha, S.K. (2004). Cyanobacteria-dominated biofilms: a high quality food resource for intertidal grazers. *Hydrobiologia* 512: 89-95.
- Nicholson, S., & Szefer, P. (2003). Accumulation of metals in the soft tissues, byssus and shell of the mytilid mussel *Perna viridis* (Bivalvia: Mytilidae) from polluted and uncontaminated locations in Hong Kong coastal waters. *Marine Pollution Bulletin* 46: 1039-1043.
- Owen, R.B. & Lee, R. (2004). Human impacts on organic matter sedimentation in a proximal shelf setting, Hong Kong. [Possible evidence for deforestation in the 15th-16th century.]. *Continental Shelf Research* 24: 583-602.
- Parsons, E.C.M. (2004). The potential impacts of pollutants on humpback dolphins - with a case study on the Hong Kong population. *Aquatic Mammals* 30: 18-37.
- Parsons, E.C.M. (2004). The behaviour and ecology of the Indo-Pacific humpback dolphin (*Sousa chinensis*). *Aquatic Mammals* 30: 38-55.
- Parsons, E.C.M., Overstreet, R.M., & Jefferson, T.A. (2001). Parasites from Indo-Pacific hump-backed dolphins (*Sousa chinensis*) and finless porpoises (*Neophocaena phocaenoides*) stranded in Hong Kong. *Veterinary Record* 148: 776-780.
- Paulus, B.C., Gadek, P.A., & Hyde, K.D. (2003).

Cylindrosymposium cryptocaryae sp nov (anamorphic fungi), with keys to the described species and to similar genera. *Australian Systematic Botany* 16: 577-580.

Primack, R.B. & Corlett, R.T. (2003). Cross-continental comparative studies in tropical ecology. *Tropinet* 14: 1-3.

Promptutha, I., Hyde, K.D., Lumyong, P., McKenzie, E.H.C., & Lumyong, S. (2003). *Dokmaia monthadangii* gen. et sp nov., a synnematosous anamorphic fungus on *Manglietia garrettii*. *Sydowia* 55: 99-103.

Purves, M.G., Agnew, D.J., Moreno, G., Daw, T., Yau, C., & Pilling, G. (2003). Distribution, demography, and discard mortality of crabs caught as bycatch in an experimental pot fishery for toothfish (*Dissostichus eleginoides*) in the South Atlantic. *Fishery Bulletin* 101: 874-888.

Qi, Y.Z., Chen, J.F., Wang, Z.H., Xu, N., Wang, Y., Shen, P.P., Lu, S.H., & Hodgkiss, I.J. (2004). Some observations on harmful algal bloom (HAB) events along the coast of Guangdong, southern China in 1998. *Hydrobiologia* 512: 209-214.

Qian, P.Y., Thiyagarajan, V., Lau, S.C.K., & Cheung, S.C.K. (2003). Relationship between bacterial community profile in biofilm and attachment of the acorn barnacle *Balanus amphitrite*. *Aquatic Microbial Ecology* 33: 225-237.

Ramos, H.C., Ribeiro, H., Mitchell, C.J., Baptista, S., Anselmo, M.L., Novo, M.T., Sousa, C., Almeida, P.G., Simoes, M.J., & Easton, E.R. (2002). Two new *Uranotaenia* records for Macau (Diptera: Culicidae). *Garcia de Orta, Ser. Zool., Lisboa* 24 (1-2): 123-124.

Sadovy, Y. (2004). Groupers and wrasses spawn conservation action. *World Conservation No.1. The IUCN Bulletin* p. 18.

Sadovy, Y., Kulbicki, M., Labrosse, P., Letourneur, Y., Lokani, P., & Donaldson, T.J. (2003). The humphead wrasse, *Cheilinus undulatus*: synopsis of a threatened and poorly known giant coral reef fish. *Reviews in Fish Biology and Fisheries* 13(3): 327-364.

Saunders, R.M.K. (2004). Plant sources of the genus *Illicium*. In *Illicium, Pimpinella and Foeniculum [Medicinal and Aromatic Plants - Industrial Profiles 40]* (ed M. Miró), pp. 19-24. CRC, Boca Raton, Florida.

Saunders, R.M.K., Su, Y.C.F., & Chalermglin, P. (2004). *Craibella phuyensis* (Annonaceae): A new genus and species from Thailand. *Systematic Botany* 29: 42-49.

Sewall, B.J., Granek, E.F., & Trewheella, W.J. (2003). Ecology and conservation of the Comoros roussette, *Rousettus obliviosus*. *Oryx* 37: 344-352.

So, S. (2004). SSSI Series - Mangrove Forest. *Hong Kong Discovery* 21: 34-39.

Song, X., Wang, H., Wang, W., Gu, H., Chan, S.K.F., & Jiang, H. (2002). Satellite tracking of post-nesting movements of green turtles *Chelonia mydas* from the Hangkou Sea Turtle National Nature Reserve [near Hong Kong], China 2001. *Marine Turtle Newsletter* 97: 8-9.

Sturm-Ramirez, K.M., Ellis, T., Bousfield, B., Bissett, L., Dyrting, K., Rehg, J.E., Poon, L., Guan, Y., Peiris, M., & Webster, R.G. (2004). Reemerging H5N1 influenza viruses in Hong Kong in 2002 are highly pathogenic to ducks. *Journal of Virology* 78: 4892-4901.

Tang, D.L., Kester, D.R., Ni, I.H., Qi, Y.Z., & Kawamura, H. (2003). In situ and satellite observations of a harmful algal bloom and water condition at the Pearl River estuary in late autumn 1998. *Harmful Algae* 2: 89-99.

Tang, D.L., Ni, I.H., Muller-Karger, F.E., & Oh, I.S. (2004). Monthly variation of pigment concentrations and seasonal winds in China's marginal seas. *Hydrobiologia* 511: 1-15.

Tong, Y.F., Lee, S.Y., & Morton, B. (2003). Effects of artificial defoliation on growth, reproduction and leaf chemistry of the mangrove *Kandelia candel*. *Journal of Tropical Ecology* 19: 397-406.

Tsui, C.K.M., Hodgkiss, I.J., & Hyde, K.D. (2003). Three new species of *Aquaticola* (Ascomycetes) from tropical freshwater habitats. *Nova Hedwigia* 77: 161-168.

Tsui, C.K.M. & Hyde, K.D. (2004). Biodiversity of fungi on submerged wood in a stream and its estuary in the Tai Ho Bay, Hong Kong. *Fungal Diversity* 15: 205-220.

Utteridge, T.M.A. & Saunders, R.M.K. (2004). The genus *Maesa* (Maesaceae) in the Philippines. *Botanical Journal of the Linnean Society* 145: 17-43.

Vukusic, P., Wootton, R.J., & Sambles, J.R. (2004). Remarkable iridescence in the hindwings of the damselfly *Neurobasis chinensis chinensis* (Linnaeus) (Zygoptera : Calopterygidae) [Arguably the most beautiful damselfly in Hong Kong]. *Proceedings of the Royal Society of London Series B-Biological Sciences* 271: 595-601.

Wang, D., Liu, R., Zhao, Q., Yang, G., Xu, X., Huang, Z., Xin, J., & Chen, B. (2003). Pathological anatomy and analysis of death causes for a Chinese White Dolphin. *Acta Theriologica Sinica* 23: x-y.

Wang, H.Z. & Erseus, C. (2004). New species of *Doliodrillus* and other Limnodriloidinae (Oligochaeta, Tubificidae) from Hainan and other parts of the north-west Pacific Ocean [*D. longidentatus* sp. n. from Hong Kong]. *Journal of Natural History* 38: 269-299.

Wang, Y.Y., Fan, Y.Z., & Gu, J.D. (2004). Dimethyl phthalate ester degradation by two planktonic and immobilized bacterial consortia. *International Biodeterioration & Biodegradation* 53: 93-101.

- Wong, C.K. (2003) *The use of phytoplankton pigments for studying phytoplankton community structure and red tide occurrence in Tolo Harbour, Hong Kong*. [PhD Thesis] Chinese University of Hong Kong, Hong Kong.
- Wong, C.L. & Chow, G. (2004). Preliminary results of a trial contraceptive treatment with SprayVac on wild monkeys in Hong Kong. *Hong Kong Biodiversity* 6: 13-16.
- Wong, C.S.C. & Li, X.D. (2004). Pb contamination and isotopic composition of urban soils in Hong Kong. *Science of the Total Environment* 319: 185-195.
- Wong, E., Leung, P.C., Sze, P., & Wong, A. (2004). Migration and overwintering aggregation of danaid butterflies in Hong Kong. *Hong Kong Biodiversity* 6: 1-7.
- Wong, K.L., Wang, J.Y., But, P.P.H., & Shaw, P.C. (2004). Application of cytochrome b DNA sequences for the authentication of endangered snake species [consumed in HK]. *Forensic Science International* 139: 49-55.
- Wong, R. (2004). Appreciating seaweed. *Hong Kong Discovery* 21: 12-16.
- Woo, P.C.Y., Fung, A.M.Y., Lau, S.K.P., Teng, J.L.L., Wong, B.H.L., Wong, M.K.M., Hon, E., Tang, G.W.K., & Yuen, K.Y. (2003). *Actinomyces hongkongensis* sp nov a novel *Actinomyces* species isolated from a patient with pelvic actinomycosis. [New species from Hong Kong]. *Systematic and Applied Microbiology* 26: 518-522.
- Woo, P.C.Y., Kuhnert, P., Burnens, A.P., Teng, J.L.L., Lau, S.K.P., Que, T.L., Yau, H.H., & Yuen, K.Y. (2003). *Laribacter hongkongensis*: a potential cause of infectious diarrhea. [New species from Hong Kong]. *Diagnostic Microbiology and Infectious Disease* 47: 551-556.
- Xie, Y., MacKinnon, J., & Li, D. (2004). Study on biogeographical division of China [Hong Kong is "Zhujiang Delta hilly plain"]. *Biodiversity and Conservation* 13: 1391-1417.
- Xu, F.L., Lam, K.C., Dawson, R.W., Tao, S., & Chen, Y.D. (2004). Long-term temporal-spatial dynamics of marine coastal water quality in the Tolo Harbor, Hong Kong, China. *Journal of Environmental Sciences-China* 16: 161-166.
- Xu, F.L., Lam, K.C., Zhao, Z.Y., Zhan, W., Chen, Y.D., & Tao, S. (2004). Marine coastal ecosystem health assessment: a case study of the Tolo Harbour, Hong Kong, China. *Ecological Modelling* 173: 355-370.
- Xu, X.R. & Gu, J.D. (2004). Elucidation of methyl tert-butyl ether degradation with Fe²⁺/H₂O₂ by purge-and-trap gas chromatography-mass spectrometry. *Microchemical Journal* 77: 71-77.
- Xu, X.R., Zhao, Z.Y., Li, X.Y., & Gu, J.D. (2004). Chemical oxidative degradation of methyl tert-butyl ether in aqueous solution by Fenton's reagent. *Chemosphere* 55: 73-79.
- Yam, R.S.W. & Cai, Y.X. (2003). *Caridina trifasciata*, a new species of freshwater shrimp (Decapoda : Atyidae) from Hong Kong. *Raffles Bulletin of Zoology* 51: 277-282.
- Yan, Y. & Chan, B.K.K. (2004). A new barnacle species from Hong Kong: *Chthamalus neglectus* sp nov (Cirripedia : Thoracica : Chthamalidae). *Journal of the Marine Biological Association of the United Kingdom* 84: 133-138.
- Yan, Y., Chan, B.K.K., & Williams, G.A. (2004). An improved and simplified trap for quantifying the distribution and supply of planktonic larvae to rocky shores. *Journal of Plankton Research* 26: 247-253.
- Yang, Z.B. & Hodgkiss, I.J. (2004). Hong Kong's worst "red tide" - causative factors reflected in a phytoplankton study at Port Shelter station in 1998. *Harmful Algae* 3: 149-161.
- Yanna, W., Ho, H., & Hyde, K.D. (2003). Can ascospore ultrastructure differentiate between the genera *Linocarpon* and *Neolinocarpon* and species therein? *Mycological Research* 107: 1305-1313.
- Yip, J. & Lai, P. (2004). *Kandelia obovata* (Rhizophoraceae), a new name for the *Kandelia* in Hong Kong. *Hong Kong Biodiversity* 6: 8-9.
- Yip, J.Y., Corlett, R.T., & Dudgeon, D. (2004). A fine-scale gap analysis of the existing protected area system in Hong Kong, China. *Biodiversity and Conservation* 13: 943-957.
- Yoshitomi, H., & Klausnitzer, B. (2003). Scirtidae: World check list of *Hydrocyphon* Redtenbacher, and revision of the Chinese species (Coleoptera). [Includes *H. dudgeoni*]. In *Water Beetles of China, Vol. 3*. (eds. M.A. Jäch & L. Ji), pp. 519-537, Zoologisch-Botanische Gesellschaft in Österreich and Wiener Coleopterologenverein, Wien.
- Young, L. (2004). Removal of the exotic mangrove *Sonneratia* sp. *HKBWS Bulletin* 191: 16.
- Yu, Y.T. & Swennen, C. (2004). Feeding of wintering Black-faced Spoonbills in Hong Kong: When and how long? *Waterbirds* 27: 135-140.
- Yu, Y.T. & Swennen, C. (2004). Habitat use of the Black-faced Spoonbill. *Waterbirds* 27: 129-134.
- Zan, Q.-J., Wang, B.-S., Wang, Y.-J., Zhang, J.-L., Liao, W.-B., & Li, M.-G. (2003). The harm caused by *Mikania micrantha* and its control by *Cuscuta campestris* [includes HK sites]. *Acta Phytocologica Sinica* 27: 822-828.
- Zhang, L., Ma, P., Chu, L.M., & But, P.P.H. (2003). Three modes of asexual reproduction in the moss *Octoblepharum albidum*. *Journal of Bryology* 25: 175-179.

Zhang, L.Y., Ye, W.H., Cao, H.L., & Feng, H.L. (2004). *Mikania micrantha* H. B. K. in China - an overview [refers to HK]. *Weed Research* 44: 42-49.

Zhang, Z.W., Liu, Y., & Sun, D. (2004). The updated number of species of birds in China. [1315 at the end of 2002]. *Acta Zootaxonomica Sinica* 29: 388.

Zhou, D.Q., Cai, L., & Hyde, K.D. (2003). *Astrosphaeriella* and *Rousoella* species on bamboo from Hong Kong and Yunnan, China, including a new species of *Rousoella*. *Cryptogamie Mycologie* 24: 191-197.

Zhou, H. (2003). Temporal changes in a Hong Kong mangrove and adjacent foreshore sandflat meiofaunal communities. *PMEC*: 459-473.

Zhou, H. & Morton, B. (2004). The diets of juvenile horseshoe crabs, *Tachypleus tridentatus* and *Carcinoscorpius rotundicauda* (Xiphosura), from nursery beaches proposed for conservation in Hong Kong. *Journal of Natural History* 38: 1915-1925.

2003 Postgraduate degrees from DEB

Bucher Vivienne Valerie Claire. (PhD) Distribution of Lignin-Modifying Enzymes Among Aquatic Fungi and Their Ability to Degrade Lignocellulose Substrates.

Chan Kam Sheung. (PhD) Variation in Cyanobacteria-Dominated Biofilms: Consequences for the Diet, Growth and Reproduction of an Intertidal Grazer, *Siphonaria japonica*, on Hong Kong Shores.

Chau, Tak Han Gloria. (MPhil) Fishes Feeding Fishes: the Composition, Size and Volume of Wild Fish Feed Used in Hong Kong's Mariculture Industry.

Chin I Mei. (PhD) Variation in *Monodonta labio* Among Different Intertidal Habitats in Hong Kong.

Lau Po Ying Carol. (PhD) Reproductive Biology of *Bauhinia* (Leguminosae: Caesalpinioideae) in Hong Kong.

Leung Wai Yin Albert. (PhD) Temporal Trends in Fish Abundance and Species Composition on an Open Access Artificial Reef in Hong Kong.

Liu Min. (PhD) Sexual Differentiation and Sex Change in the Chocolate Hind, *Cephalopholis boenak* (PISCES: SERRANIDAE: EPINEPHELINAE).

Mantel Kaur Sukhmani. (PhD) The Ecology of a Predatory Shrimp, *Macrobachium hainanense* (Parisi, 1919) (Decapoda: Palaemonidae), in Hong Kong Streams.

Smith Gavin J.D. (PhD) Distribution of Lignin-Modifying Enzymes Among Aquatic Fungi and their Ability to Degrade Lignocellulose Substrates.

Tang Ming Chak. (MPhil) The Ecology of Wild Fruit Persistence in Hong Kong.

Wang Yan Ling. (MPhil) Isolation and Characterization of Environmental *Vibrio* species From Mai Po Nature Reserve, Hong Kong.

Yan Yan. (PhD) The Ecology of the High Shore Barnacle *Chthamalus malayensis* in Hong Kong.

Porcupine! No. 31

July 2004

ISSN 1025-6946

Chief Editors: Yvonne Sadovy
Richard Corlett

Assistant Editors: Rachel Wong
Laura Wong

Wild Corner: Elsa Lee
Eric Chan
Jacqueline Weir

Published by the **Department of Ecology & Biodiversity**, The University of Hong Kong.

Article submissions:
Porcupine!

Ms Eva Tam, Department of Ecology & Biodiversity The University of Hong Kong.

Tel: 22990612 Fax: 25176082

Email address:
Ecology@hkucc.hku.hk

Website:
www.hku.hk/ecology/porcupine/

Guidelines for contributions :

All contributions are welcomed. Any original article related to natural history, conservation or ecological research in Hong Kong will be considered for publication. Authors of long articles should send their work as a Word file, either by post (on disk, with hard copy attached) or by email. Original artwork should be sent by post (please indicate if return of material is required). Short articles (less than a hundred words) may be faxed or posted.

Articles from *Porcupine!* may be reprinted without permission. Please acknowledge source and author.

All authors can be contacted through *Porcupine!* unless alternative contact details have been provided.