

Recent Publications

Books, monographs etc.

AFCD (2005). *Field Guide to Hard Corals of Hong Kong*. Cosmos Books and Friends of the Country Parks, Hong Kong.

AFCD (2005). *A Field Guide to the Amphibians and Reptiles of Hong Kong*. Cosmos Books and Friends of the Country Parks, Hong Kong.

AFCD (2005). *Hong Kong Ecomap*. Cosmos Books and Friends of the Country Parks, Hong Kong.

AFCD (2005). *88 Hong Kong Natural Wonders*. Friends of the Country Parks, Cosmos Books, and the 88th Lions Clubs International Convention 2005 Host Committee, Hong Kong.

AFCD (2005). *New Walkers' Companion*. Cosmos Books and Friends of the Country Parks, Hong Kong.

Anon (2004) *Methodologies for terrestrial and freshwater ecological baseline surveys*. EIAO Guidance Note No. 10/2004. AFCD, Hong Kong.

Anon (2004). *Methodologies for marine ecological baseline surveys*. EIAO Guideline Note No. 11/2004. AFCD, Hong Kong.

Clarke, S. (2004). *Shark product trade in Hong Kong and mainland China and implementation of the CITES shark listings* TRAFFIC East Asia, Hong Kong.

IACM (2003). *A Green Tour of Macau*. Civic and Municipal Affairs Bureau - Department of Gardens and Green Areas, Macao.

Leung, S.F., Lee, E.H.K., Wong, C.K.F., & Cheung, A.P.L. (2004). *Commercial Crustaceans in Hong Kong*. AFCD, Hong Kong.

Lui, H.T.H. (2005). *Birdwatching in the Big City*. HK Discovery Ltd., Hong Kong.

Peart, M.R. (2005). *101 Series II - Hong Kong Landforms*. Cosmos Books and Friends of the Country Parks, Hong Kong.

Viney, C., Phillipps, K., & Lam, C.Y. (2005). *The Birds of Hong Kong and South China. 8th edition*. Information Services Department, Hong Kong.

Journal articles, book chapters and other published works

Aitchison, J.C. (2005). The great Indian Ocean Tsunami

disaster. *Gondwana Research* 8: 107-108.

Alongi, D.M., Pfitzner, J., Trott, L.A., Tirendi, F., Dixon, P., & Klumpp, D.W. (2005). Rapid sediment accumulation and microbial mineralization in forests of the mangrove *Kandelia candel* in the Jiulongjiang Estuary, China. *Estuarine Coastal and Shelf Science* 63: 605-618.

Aptroot, A. (2004). Two new ascomycetes with long gelatinous appendages collected from monocots in the tropics [Hong Kong]. *Studies in Mycology*: 307-311.

Brock, P.D., & Seow-Choen, F. (2000). The stick insects (Insecta: Phasmida) of Hong Kong. *Serangga* 5: 115-147.

Cai, L., Jeewon, R., & Hyde, K.D. (2005). Phylogenetic evaluation and taxonomic revision of *Schizothecium* based on ribosomal DNA and protein coding genes. *Fungal Diversity* 19: 1-21.

Cai, L., McKenzie, E.H.C., & Hyde, K.D. (2004). New species of *Cordana* and *Spadicoides* from decaying bamboo culms in China. *Sydowia* 56: 222-228.

Cai, L., Zhang, K.Q., & Hyde, K.D. (2005). *Ascoyunnania aquatica* gen. et sp nov., a freshwater fungus collected from China and its microcyclic conidiation. *Fungal Diversity* 18: 1-8.

Chan, A.T. & Yeung, V.C.H. (2005). Implementing building energy codes in Hong Kong: energy savings, environmental impacts and cost. *Energy and Buildings* 37: 631-642.

Chan, B.K.K., & Hung, O.S. (2005). Cirral length of the acorn barnacle *Tetraclita japonica* (Cirripedia: Balanomorpha) in Hong Kong: Effect of wave exposure and tidal height. *Journal of Crustacean Biology* 25: 329-332.

Chan, B.P.L., Lee, K.S., Zhang, J.F., & Su, W.B. (2005). Notable bird records from Bawangling National Nature Reserve, Hainan Island, China. *Forktail* 21: 33-41.

Chan, K., & Morton, B. (2005). The reproductive biology of *Nassarius festivus* (Powys, 1835) (Gastropoda : Nassariidae) in relation to seasonal changes in temperature and salinity in subtropical Hong Kong. *Aquatic Ecology* 39: 213-228.

Chan, L.L., Hodgkiss, I.J., Lam, P.K.S., Wan, J.M.F., Chou, H.N., Lum, J.H.K., Lo, M.G.Y., Mak, A.S.C., Sit, W.H., & Lo, S.C.L. (2005). Use of two-dimensional gel electrophoresis to differentiate morphospecies of *Alexandrium minutum*, a paralytic shellfish poisoning toxin-producing dinoflagellate of harmful algal blooms. *Proteomics* 5: 1580-1593.

Chan, S.K.F., Cheung, K.S., Ho, C.Y., Lam, F.N., & Tang, W.S. (2005). Endemic species highlights - Romer's tree frog. *Hong Kong Biodiversity* 8: 5-8.

Chan, S.K.F., Cheung, K.S., Ho, C.Y., Lam, F.N., & Tang, W.S. (2005). A note on the pit vipers of Hong Kong. *Hong Kong*

Biodiversity 9: 10-11.

Chen, B., Mai, B.X., Duan, J.C., Luo, X.J., Yang, Q.S., Sheng, G.Y., & Fu, J.M. (2005). Concentrations of alkylphenols in sediments from the Pearl River estuary and South China Sea, South China. *Marine Pollution Bulletin* 50: 993-997.

Chen, H., Smith, G.J.D., Zhang, S.Y., Qin, K., Wang, J., Li, K.S., Webster, R.G., Peiris, J.S.M., & Guan, Y. (2005). H5N1 virus outbreak in migratory waterfowl. *Nature* 436: 191-192.

Cheung, K.H., & Gu, J.D. (2005). Chromate reduction by *Bacillus megaterium* TKW3 isolated from marine sediments. *World Journal of Microbiology & Biotechnology* 21: 213-219.

Cheung, S.C.H. (2004). Keeping the wetland wet: how to integrate natural and cultural heritage preservation. *Museum International* 56: 29-37.

Cheung, W.W.L., & Sadovy, Y. (2004). Retrospective evaluation of data-limited fisheries: a case from Hong Kong. *Reviews in Fish Biology and Fisheries* 14: 181-206.

Chow, G.K.L. (2005). Short-tailed shearwater, its first record in Hong Kong. *Hong Kong Biodiversity* 8: 9.

Chung, P.H. (2005). Epidemiology of spotted fever, scrub typhus and murine typhus in Hong Kong, 1995-2004 [Transmitted by rodent parasites]. *Public Health & Epidemiology Bulletin* 14: 1-5.

Cribb, P., Sun, M., & Barretto, G. (2004). *Phaius tankervilleae* and *P. wallichii* (Orchidaceae), a pair of confused species. *Kew Bulletin* 59: 547-554.

De Pirro, M., & Marshall, D.J. (2005). Phylogenetic differences in cardiac activity, metal accumulation and mortality of limpets exposed to copper: A prosobranch-pulmonate comparison. *Journal of Experimental Marine Biology and Ecology* 322: 29-37.

Dickman, M.D., Peart, M.R., & Yim, W.W.S. (2005). Benthic diatoms as indicators of stream sediment concentration in Hong Kong. *International Review of Hydrobiology* 90: 412-421.

Dobretsov, S., Dahms, H.U., & Qian, P.Y. (2005). Antibacterial and anti-diatom activity of Hong Kong sponges. *Aquatic Microbial Ecology* 38: 191-201.

Duong, L.M., Lumyong, S., Hyde, K.D., & Jeewon, R. (2004). *Emarcea castanopsidicola* gen. et sp. nov. from Thailand, a new xylariaceous taxon based on morphology and DNA sequences. *Studies in Mycology*: 253-260.

Fryar, S.C., Booth, W., Davies, J., Hodgkiss, I.J., & Hyde, K.D. (2005). Evidence of in situ competition between fungi in freshwater. *Fungal Diversity* 18: 59-71.

Fryxell, G.E., & Szeto, A. (2002). The influence of motivations

for seeking ISO 14001 certification: an empirical study of ISO 14001 certified facilities in Hong Kong. *Journal of Environmental Management* 65: 223-238.

Fung, J.C.H., Lau, A.K.H., Lam, J.S.L., & Yuan, Z. (2005). Observational and modeling analysis of a severe air pollution episode in western Hong Kong. *Journal of Geophysical Research-Atmospheres* 110: 9105-9105.

Gao, S.S., Heravi, S., & Xiao, J.Z. (2005). Determinants of corporate social and environmental reporting in Hong Kong: a research note. *Accounting Forum* 29: 233-242.

Geissmann, T. (2005). De Hainan-Schopfgibbon: der bedrohteste Menschenaffe der Welt. *Gibbon Journal* 1: 10-12.

Geissmann, T. (2005). Auf der Suche nach den letzten Gibbons von Hainan. *Gibbon Journal* 1: 18-22.

Gilchrist, P. (2005). Involvement of free-flying wild birds in the spread of the viruses of avian influenza, Newcastle disease and infectious bursal disease from poultry products to commercial poultry. *Worlds Poultry Science Journal* 61: 198-214.

Gu, J.D., Wang, Y., & Li, J. (2004). Degradation of the endocrine - disrupting dimethyl phthalate and dimethyl isophthalate by mangrove microorganisms. In *European Symposium on Environmental Biotechnology, Eseb 2004*, pp. 557-561.

Hau, B.C.H. (2005). Environmental education in protected areas in China. *Living Forests* 10: 16-18.

Hau, B.C.H., Dudgeon, D., & Corlett, R.T. (2005). Beyond Singapore: Hong Kong and Asian biodiversity. *Trends in Ecology & Evolution* 20: 281-282.

Hau, B.C.H., & So, K.K.Y. (2005). Propagating native tree species for forest rehabilitation in Hong Kong, China. In *Proceedings (CD-Rom) of the Symposium on Tropical Rainforest Rehabilitation and Restoration - Existing Knowledge and Future Direction, 26-28 July 2005, Kota Kinabalu, Sabah, Malaysia*. Yayasan Sabah Group, FAO, Sabah Forestry Department and WWF, Malaysia.

Hau, B.C.H., So, K.K.Y., Choi, K.C., & Cahau, R.Y.H. (2005). Using native tree and shrub species for ecological rehabilitation of man-made slopes in Hong Kong. In *Proceedings of the 25th Annual Seminar, Geotechnical Division, The Hong Kong Institute of Engineers, 4 May 2005, Hong Kong*, pp. 273-286. The Hong Kong Institute of Engineers, Hong Kong.

Ho, W.H., Yanna, Hyde, K.D., & Goh, T.K. (2005). *Endosporoideus* gen. nov., a mitosporic fungus on *Phoenix hanceana*. *Mycologia* 97: 238-245.

Hung, O.S., Gosselin, L.A., Thiagarajan, V., Wu, R.S.S., & Qian, P.Y. (2005). Do effects of ultraviolet radiation on microbial films have indirect effects on larval attachment of the

barnacle *Balanus amphitrite*? *Journal of Experimental Marine Biology and Ecology* 323: 16-26.

Ip, C.C.M., Li, X.D., Zhang, G., Wong, C.S.C., & Zhang, W.L. (2005). Heavy metal and Pb isotopic compositions of aquatic organisms in the Pearl River Estuary, South China. *Environmental Pollution* 138: 494-504.

Jaech, M.A., & Diaz, J.A. (2005). Revision of the Chinese species of *Hydraena* Kugelmann 1. Description of 15 new species of *Hydraena* s. str. from southeast China (Coleoptera: Hydranidae) [includes 2 new species from Hong Kong]. *Koleopterologische Rundschau* 75: 53-104.

Jim, C.Y. (2005). Outstanding remnants of nature in compact cities: patterns and preservation of heritage trees in Guangzhou city (China). *Geoforum* 36: 371-385.

Jin, I.W., Jiang, J.P., Xie, F., Zheng, Z.H., & Xu, J.X. (2005). Phylogenetic relationships among some species of *Amolops* inferred from 12S and 16S rRNA gene sequences. *Zoological Research* 26: 61-68.

Jing, H.M., Aitchison, J.C., Lacap, D.C., Peerapornpisal, Y., Sompong, U., & Pointing, S.B. (2005). Community phylogenetic analysis of moderately thermophilic cyanobacterial mats from China, the Philippines and Thailand. *Extremophiles* 9: 325-332.

Kan, B., & 29 other authors (2005). Molecular evolution analysis and geographic investigation of severe acute respiratory syndrome coronavirus-like virus in palm civets at an animal market and on farms. *Journal of Virology* 79: 11892-11900.

Ke, L., Yu, K.S.H., Wong, Y.S., & Tam, N.F.Y. (2005). Spatial and vertical distribution of polycyclic aromatic hydrocarbons in mangrove sediments. *Science of The Total Environment* 340: 177-187.

Ke, S.Z., Shi, Z., & Fang, H.H.P. (2005). Applications of two-phase anaerobic degradation in industrial wastewater treatment. *International Journal of Environment and Pollution* 23: 65-80.

Koenig, A., Zhang, T., Liu, L.H., & Fang, H.H.P. (2005). Microbial community and biochemistry process in auto sulfurotrophic denitrifying biofilm. *Chemosphere* 58: 1041-1047.

Kostylev, V.E., Erlandsson, J., Ming, M.Y., & Williams, G.A. (2005). The relative importance of habitat complexity and surface area in assessing biodiversity: Fractal application on rocky shores. *Ecological Complexity* 2: 272-286.

Kuiken, T., Leighton, F.A., Fouchier, R.A.M., LeDuc, J.W., Peiris, J.S.M., Schudel, A., Stohr, K., & Osterhaus, A. (2005). Public health - Pathogen surveillance in animals. *Science* 309: 1680-1681.

Kwok, B.L.H. & Lam, C.P. (2005). Rediscovery of the locally

rare seagrass *Ruppia maritima* in Hong Kong. *Hong Kong Biodiversity* 9: 7.

Kwok, W.P.W., & Tang, W.S. (2005). An introduction to common sesarminae crabs of Hong Kong. *Hong Kong Biodiversity* 9: 1-6.

Kwok, W.P.W., Yang, J.K.Y., Tong, P.Y.F., & Lam, C.P. (2005). Distribution of seagrasses in Hong Kong. *Hong Kong Biodiversity* 8: 12-14.

Lacap, D.C., Smith, G.J.D., Warren-Rhodes, K., & Pointing, S.B. (2005). Community structure of free-floating filamentous cyanobacterial mats from the Wonder Lake geothermal springs in the Philippines. *Canadian Journal of Microbiology* 51: 583-589.

Lai, M.Y., Shen, P.P., Zhao, Z., Zhou, H., & Gu, J.D. (2005). Concentrations of heavy metals in the benthic microgastropods *Sermyla riquetii* and *Stenothyra devalis* at the Mai Po Inner Deep Bay Ramsar site of Hong Kong. *Bulletin of Environmental Contamination and Toxicology* 74: 1065-1071.

Lai, P.C.C., & Wong, B.S.F. (2005). Effects of tree guards and weed mats on the establishment of native tree seedlings: Implications for forest restoration in Hong Kong, China. *Restoration Ecology* 13: 138-143.

Lam, J.C.W., Tanabe, S., Lam, M.H.W., & Lam, P.K.S. (2005). Risk to breeding success of waterbirds by contaminants in Hong Kong: evidence from trace elements in eggs. *Environmental Pollution* 135: 481-490.

Lam, K.S., Wang, T.J., Wu, C.L., & Li, Y.S. (2005). Study on an ozone episode in hot season in Hong Kong and transboundary air pollution over Pearl River Delta region of China. *Atmospheric Environment* 39: 1967-1977.

Lam, P., & McNaught, C. (2004). Evaluating educational websites: A system for multiple websites at multiple universities. In *Ed-Media 2004: World Conference on Educational Multimedia, Hypermedia & Telecommunications*, Vols. 1-7, pp. 1066-1073.

Lam, P.K.S., & Lam, M.H.W. (2004). Assessment of risks to the Mai Po Inner Deep Bay Ramsar site due to environmental contaminants. In *Wetlands Ecosystems in Asia: Function and Management*, Vol. 1, pp. 115-129.

Lau, K.W.K., Ng, C.Y.M., Ren, J.P., Lau, S.C.L., Qian, P.Y., Wong, P.K., Lau, T.C., & Wu, M. (2005). *Owenweeksia hongkongensis* gen. nov., sp. nov., a novel marine bacterium of the phylum 'Bacteroidetes'. *International Journal of Systematic and Evolutionary Microbiology* 55: 1051-1057.

Lau, S.C.K., Tsoi, M.M.Y., Li, X.C., Dobretsov, S., Plakhotnikova, Y., Wong, P.K., & Qian, P.Y. (2005). *Pseudoalteromonas spongiae* sp. nov., a novel member of the gamma-Proteobacteria isolated from the sponge *Mycale*

- adhaerens* in Hong Kong waters. *International Journal of Systematic and Evolutionary Microbiology* 55: 1593-1596.
- Lau, S.K.P., Woo, P.C.Y., Li, K.S.M., Huang, Y., Tsoi, H.W., Wong, B.H.L., Wong, S.S.Y., Leung, S.Y., Chan, K.H., & Yuen, K.Y. (2005). Severe acute respiratory syndrome coronavirus-like virus in Chinese horseshoe bats. *Proceedings of the National Academy of Sciences of the United States of America* 102: 14040-14045.
- Lau, S.S.Y., Giridharan, R., & Ganesan, S. (2005). Multiple and intensive land use: case studies in Hong Kong. *Habitat International* 29: 527-546.
- Lee, E.W.S., Hau, B.C.H., & Corlett, R.T. (2005). Natural regeneration in exotic tree plantations in Hong Kong, China. *Forest Ecology and Management* 212: 358-366.
- Lee, J.H.W., Hodgkiss, I.J., Wong, K.T.M., & Lam, I.H.Y. (2005). Real time observations of coastal algal blooms by an early warning system. *Estuarine Coastal and Shelf Science* 65: 172-190.
- Lee, W.H. & Choi, I.C. (2005). House crows (*Corvus splendens*) - notes on their population and control in Hong Kong. *Hong Kong Biodiversity* 8: 10-11.
- Leung, C.M., Jiao, J.J., Malpas, J., Chan, W.T., & Wang, Y.X. (2005). Factors affecting the groundwater chemistry in a highly urbanized coastal area in Hong Kong: an example from the Mid-Levels area. *Environmental Geology* 48: 480-495.
- Leung, K.M.Y., Bjorgesæter, A., Gray, J.S., Li, W.K., Lui, G.C.S., Wang, Y., & Lam, P.K.S. (2005). Deriving sediment quality guidelines from field-based species sensitivity distributions. *Environmental Science & Technology* 39: 5148-5156.
- Leung, Y.K., Ginn, E.W.L., Wu, M.C., Yueng, K.H., & Chang, W.L. (2004). Temperature projections for Hong Kong in the 21st century. *Hong Kong Meteorological Society Bulletin* 14: 21-48.
- Li, J.X., Gu, J.D., & Pan, L. (2005). Transformation of dimethyl phthalate, dimethyl isophthalate and dimethyl terephthalate by *Rhodococcus rubber* Sa and modeling the processes using the modified Gompertz model. *International Biodeterioration & Biodegradation* 55: 223-232.
- Li, X.Y., Cui, Y.H., Feng, Y.J., Xie, Z.M., & Gu, J.D. (2005). Reaction pathways and mechanisms of the electrochemical degradation of phenol on different electrodes. *Water Research* 39: 1972-1981.
- Liu, E.K.Y., Chan, Y.N., & Tsim, S.T. (2005). Breeding terns in Hong Kong - their prey. *Hong Kong Biodiversity* 8: 15-16.
- Liu, M. & Sadovy, Y. (2005). Habitat association and social structure of the chocolate hind, *Cephalopholis boenak* (Pisces : Serranidae : Epinephelinae), at Ping Chau Island, northeastern Hong Kong waters. *Environmental Biology of Fishes* 74: 9-18.
- Liu, Z.J., Zhang, J.Y., Ru, Z. Z., Lei, S.P., & Chen, L.J. (2004). Conservation biology of *Paphiopedilum purpuratum* (Orchidaceae). *Shengwu Duoyangxing* 12: 509-516.
- Louie, P.K.K., Chow, J.C., Chen, L.W.A., Watson, J.G., Leung, G., & Sin, D.W.M. (2005). PM2.5 chemical composition in Hong Kong: Urban and regional variations. *Science of the Total Environment* 338: 267-281.
- Lui, B.L.S., Shiu, Y.K., & Hau, B.C.H. (2005). Performance assessment of greening techniques on man-made slopes. In *Proceedings of the 25th Annual Seminar, Geotechnical Division, The Hong Kong Institute of Engineers, 4 May 2005, Hong Kong.*, pp. 273-286. The Hong Kong Institute of Engineers, Hong Kong.
- Mantel, S.K., & Dudgeon, D. (2005). Reproduction and sexual dimorphism of the palaemonid shrimp *Macrobrachium hainanensis* in Hong Kong streams. *Journal of Crustacean Biology* 25: 450-459.
- McKercher, B., Ho, P.S.Y., & du Cros, H. (2005). Relationship between tourism and cultural heritage management: evidence from Hong Kong. *Tourism Management* 26: 539-548.
- Miao, L., & Qian, P.Y. (2005). Antagonistic antimicrobial activity of marine fungi and bacteria isolated from marine biofilm and seawaters of Hong Kong. *Aquatic Microbial Ecology* 38: 231-238.
- Mingram, J., Nowaczyk, N., Schettler, G., Luo, X.J., Lu, H.Y., Liu, J.Q., & Negendank, J.F.W. (2004). A 78,000 year record of climatic changes from the South China coast - the Huguang Maar Lake (Huguangyan). In *Monsoon and Civilization* (eds Y. Yasuda & V. Shinde), pp. 51-59. Roli Books, New Delhi.
- Mitchell, A.J., Overstreet, R.M., Goodwin, A.E., & Brandt, T.M. (2005). Spread of an exotic fish-gill trematode: A far-reaching and complex problem. *Fisheries* 30: 11-16.
- Morton, B. (2005). Crocodiles and sharks. *Marine Pollution Bulletin* 50: 489-490.
- Morton, B. (2005). Biology and functional morphology of a new species of endolithic *Bryopa* (Bivalvia : Anomalodesmata : Clavagelloidea) from Japan and a comparison with fossil species of *Stirpulina* and other Clavagellidae. *Invertebrate Biology* 124: 202-219.
- Ng, K.L., & Obbard, J.P. (2005). Strategic environmental assessment in Hong Kong. *Environment International* 31: 483-492.
- Ng, P.K.L. & Chen, H.L. (2005). On two species of euxanthine crabs from the South China Sea, including a description of a new species of *Crosnierius* (Crustacea: Decapoda: Brachyura: Xanthidae) [from Hong Kong]. *Proceedings of the Biological*

Society of Washington 118: 319-325.

Nichol, J., & Wong, M.S. (2005). Detection and interpretation of landslides using satellite images. *Land Degradation & Development* 16: 243-255.

Normile, D. (2005). Virology: researchers tie deadly SARS virus to bats. *Science* 309: 2154-2155.

Peart, M.R. (2004). Nitrogen content of suspended matter in the Kam Tin River, Hong Kong. In *Sediment Transfer through the Fluvial System*, pp. 474-480.

Peart, M.R. (2004). Water supply and the development of Hong Kong. In *Basis of Civilization - Water Science*, pp. 23-30.

Peng, X., Zhang, G., Mai, B., Hu, J., Li, K., & Wang, Z. (2005). Tracing anthropogenic contamination in the Pearl River estuarine and marine environment of South China Sea using sterols and other organic molecular markers. *Marine Pollution Bulletin* 50: 856-865.

Photita, W., Taylor, P.W.J., Ford, R., Hyde, K.D., & Lumyong, S. (2005). Morphological and molecular characterization of *Colletotrichum* species from herbaceous plants in Thailand. *Fungal Diversity* 18: 117-133.

Pinruan, U., Sakayaroj, J., Jones, E.B.G., & Hyde, K.D. (2004). *Flammispora* gen. nov., a new freshwater ascomycete from decaying palm leaves. *Studies in Mycology*: 381-386.

Pointier, J.P., David, P., & Jarne, P. (2005). Biological invasions: the case of planorbid snails. *Journal of Helminthology* 79: 249-256.

Pointing, S.B., Pelling, A.L., Smith, G.J.D., Hyde, K.D., & Reddy, C.A. (2005). Screening of basidiomycetes and xylariaceous fungi for lignin peroxidase and laccase gene-specific sequences. *Mycological Research* 109: 115-124.

Prompttha, I., Lumyong, S., Lumyong, P., McKkenzie, E.H.C., & Hyde, K.D. (2005). A new species of *Anthostomella* on *Magnolia lillifera* from northern Thailand. *Mycotaxon* 91: 413-418.

Rainbow, P.S. & Wang, W.X. (2005). Trace metals in barnacles: the significance of trophic transfer. *Science in China Series C Life Sciences* 48 (Suppl. 1): 110-117.

Sadovy, Y. (2005). Trouble on the reef: the imperative for managing vulnerable and valuable fisheries. *Fish and Fisheries* 6: 167-185.

Sadovy, Y., & Domeier, M. (2005). Are aggregation-fisheries sustainable? Reef fish fisheries as a case study. *Coral Reefs* 24: 254-262.

Sadovy, Y., Randall, J.E., & Rasotto, M.B. (2005). Skin structure in six dragonet species (Gobiesociformes;

Callionymidae): interspecific differences in glandular cell types and mucus secretion. *Journal of Fish Biology* 66: 1411-1418.

Salin, K.R., Yohannan, T.M., & Nair, C.M. (2005). Fisheries and trade of seahorses, *Hippocampus* spp., in southern India [to Hong Kong, among other places]. *Fisheries Management and Ecology* 12: 269-273.

Salmon, C. (2004). Like froth on the sea. The world of pirates and seafarers in late imperial South China. *Journal of the Royal Asiatic Society* 14: 177-178.

Shao, H., Peng, S.L., Wei, X.Y., Zhang, D.Q., & Zhang, C. (2005). Potential allelochemicals from an invasive weed *Mikania micrantha* HBK. *Journal of Chemical Ecology* 31: 1657-1668.

Shek, C.T., & Chan, C.S.M. (2005). New bat species for Hong Kong - Greater Bamboo Bat (*Tylonycteris robustula*). *Hong Kong Biodiversity* 9: 9.

Shi, B.H., & Xia, X.H. (2005). Genetic variation in clones of *Pseudomonas pseudoalcaligenes* after ten months of selection in different thermal environments in the laboratory. *Current Microbiology* 50: 238-245.

Shi-xiong, Y. (2005). Taxonomic treatment of Chinese *Polyspora* Sweet (Theaceae) [previously included in *Gordonia*]. *Journal of Tropical and Subtropical Botany* 13: 363-365.

Shu, W.S., Ye, Z.H., Zhang, Z.Q., Lan, C.Y., & Wong, M.H. (2005). Natural colonization of plants on five lead/zinc mine tailings in Southern China. *Restoration Ecology* 13: 49-60.

So, K.K.Y., & Hau, B.C.H. (2005). Native tree planting scheme for secondary schools in Hong Kong, China. In *Proceedings (CD-Rom) of the Symposium on Tropical Rainforest Rehabilitation and Restoration - Existing Knowledge and Future Direction, 26-28 July 2005, Kota Kinabalu, Sabah, Malaysia*. Yayasan Sabah Group, FAO, Sabah Forestry Department and WWF, Malaysia.

Sodhi, N.S., Koh, L.P., Brook, B.W., & Ng, P.K.L. (2005). Response to Hau *et al*: Beyond Singapore: Hong Kong and Asian biodiversity. *Trends in Ecology & Evolution* 20: 282-283.

Sturm-Ramirez, K.M., Hulse-Post, D.J., Govorkova, E.A., Humberd, J., Seiler, P., Puthavathana, P., Buranathai, C., Nguyen, T.D., Chaisingh, A., Long, H.T., Naipospos, T.S.P., Chen, H., Ellis, T.M., Guan, Y., Peiris, J.S.M., & Webster, R.G. (2005). Are ducks contributing to the endemicity of highly pathogenic H5N1 influenza virus in Asia? *Journal of Virology* 79: 11269-11279.

Su, Y.C.F., Mols, J.B., Takeuchi, W., Kessler, P.J.A., & Saunders, F.M.K. (2005). Reassessing the generic status of *Petalolophus* (Annonaceae): Evidence for the evolution of a distinct sapromyophilous lineage within *Pseuduvaria*. *Systematic Botany* 30: 494-502.

- Tam, N.F.Y. (2004). Conservation and uses of mangroves in Hong Kong and Mainland China. In *Wetlands Ecosystems in Asia: Function and Management*, Vol. 1, pp. 161-182.
- Thiyagarajan, V., Hung, O.S., Chiu, J.M.Y., Wu, R.S.S., & Qian, P.Y. (2005). Growth and survival of juvenile barnacle *Balanus amphitrite*: interactive effects of cyprid energy reserve and habitat. *Marine Ecology Progress Series* 299: 229-237.
- Thiyagarajan, V., Soo, L., & Qian, P.Y. (2005). The role of sediment organic matter composition in larval habitat selection by the polychaete *Capitella* sp I. *Journal of Experimental Marine Biology and Ecology* 323: 70-83.
- Tsoi, K.H., Wang, Z.Y., & Chu, K.H. (2005). Genetic divergence between two morphologically similar varieties of the kuruma shrimp *Penaeus japonicus*. *Marine Biology* 147: 367-379.
- Van Dijk, P.P., Tordoff, A.W.J., Fellowes, J., Lau, M., & Ma, J. (2004). Indo-Burma [includes Hong Kong]. In *Hotspots Revisited* (eds R.A. Mittermeier *et al.*), pp. 322-330. CEMEX, Mexico City.
- Van Ryckegem, G., & Verbeken, A. (2005). Fungal ecology and succession on *Phragmites australis* in a brackish tidal marsh [Mai Po]. I. Leaf sheaths. *Fungal Diversity* 19: 157-187.
- Vijaykrishna, D., Mostert, L., Jeewon, R., Gams, W., Hyde, K.D., & Crous, P.W. (2004). *Pleurostomophora*, an anamorph of *Pleurostoma* (Calosphaeriales), a new anamorph genus morphologically similar to *Phialophora*. *Studies in Mycology*: 387-395.
- Wang, D.Z., & Hsieh, D.P.H. (2005). Growth and toxin production in batch cultures of a marine dinoflagellate *Alexandrium tamarense* HK9301 isolated from the South China Sea. *Harmful Algae* 4: 401-410.
- Wang, Y.L., & Gu, J.D. (2005). Influence of temperature, salinity and pH on the growth of environmental *Aeromonas* and *Vibrio* species isolated from Mai Po and the Inner Deep Bay Nature Reserve Ramsar site of Hong Kong. *Journal of Basic Microbiology* 45: 83-93.
- Weerasooriya, A.D., & Saunders, R.M.K. (2005). The genus *Mitrephora* (Annonaceae) in Cambodia, Laos, and Vietnam. *Systematic Botany* 30: 248-262.
- Williams, G.A., De Pirro, M., Leung, K.M.Y., & Morrill, D. (2005). Physiological responses to heat stress on a tropical shore: the benefits of mushrooming behaviour in the limpet *Cellana grata*. *Marine Ecology Progress Series* 292: 213-224.
- Wong, A.K.C. & Leung, P.C. (2005). Two moth species new to Hong Kong discovered in AFCD's ecological surveys [*Antheraea pernyi* and *Gasterocome pannsaria*]. *Hong Kong Biodiversity* 9: 8.
- Wong, C.K., Hung, P., Lee, K.L.H., & Kam, K.M. (2005). Study of an outbreak of ciguatera fish poisoning in Hong Kong. *Toxicon* 46: 563-571.
- Wong, C.K., & Wong, C.K. (2004). Study of phytoplankton characteristics in Tolo Harbour, Hong Kong, by HPLC analysis of chemotaxonomic pigments. *Journal of Applied Phycology* 16: 469-476.
- Wong, E.Y.H. (2005). Control of *Mikania micrantha* and habitat management at Sites of Special Scientific Interest. *Hong Kong Biodiversity* 9: 14-16.
- Wong, H.L., Giesy, J.P., Siu, W.H.L., & Lam, P.K.S. (2005). Estrogenic and dioxin-like activities and cytotoxicity of sediments and biota from Hong Kong mudflats. *Archives of Environmental Contamination and Toxicology* 48: 575-586.
- Wu, R.S.S., & Or, Y.Y. (2005). Bioenergetics, growth and reproduction of amphipods are affected by moderately low oxygen regimes. *Marine Ecology Progress Series* 297: 215-223.
- Xia, L., & Shao, Y. (2005). Modelling of traffic flow and air pollution emission with application to Hong Kong Island. *Environmental Modelling & Software* 20: 1175-1188.
- Xing, F.W., Wang, F.G., Chen, H.F., & Chau, L.K.C. (2005). *Begonia hongkongensis* (Begoniaceae), a new species from Hong Kong. *Annales Botanici Fennici* 42: 151-154.
- Xu, X.R., Li, H.B., & Gu, J.D. (2005). Biodegradation of an endocrine-disrupting chemical di-n-butyl phthalate ester by *Pseudomonas fluorescens* B-1. *International Biodeterioration & Biodegradation* 55: 9-15.
- Xu, X.R., Li, H.B., Gu, J.D., & Li, X.Y. (2005). Kinetics of the reduction of chromium(VI) by vitamin C. *Environmental Toxicology and Chemistry* 24: 1310-1314.
- Xu, X.R., Li, H.B., Wang, W.H., & Gu, J.D. (2005). Decolorization of dyes and textile wastewater by potassium permanganate. *Chemosphere* 59: 893-898.
- Xu, X.R., Li, H.B., Wang, W.H., Peng, A., & Gu, J.D. (2005). Determination of methylmercury fluxes across the air-water and air-soil interfaces by gas chromatography with electron capture detection. *Analytical and Bioanalytical Chemistry* 381: 1631-1634.
- Yam, R.S.W., & Dudgeon, D. (2005). Stable isotope investigation of food use by *Caridina* spp. (Decapoda: Atyidae) in Hong Kong streams. *Journal of the North American Benthological Society* 24: 68-81.
- Yang, L., Cai, L.Z., Tong, Y.G., & Yang, G. (2005). Heavy metal contents on Futian tidal flat in Shenzhen Bay and their effect on macrobenthos. *Journal of Oceanography in Taiwan Strait* 24: 156-164.

Ye, Y., Tam, N.F.Y., Lu, C.Y., & Wong, Y.S. (2005). Effects of salinity on germination, seedling growth and physiology of three salt-secreting mangrove species. *Aquatic Botany* 83: 193-205.

Ye, Y., Wong, Y.S., & Tam, N.F.Y. (2005). Acclimation of a dominant mangrove plant (*Kandelia candel*) to soil texture and its response to canopy shade. *Hydrobiologia* 539: 109-119.

Yip, D.Y., & Cheung, D. (2005). Teachers' concerns on school-based assessment of practical work. *Journal of Biological Education* 39: 156-162.

Yip, J.K.L., Ngar, Y.N., Yip, J.Y., Liu, E.K.Y., & Lai, P.C.C. (2005). AFCD survey of local *fung shui* woods. *Hong Kong Biodiversity* 8: 2-4.

Yu, K.F., Zhao, J.X., Wei, G.J., Cheng, X.R., & Wang, P.X. (2005). Mid-late Holocene monsoon climate retrieved from seasonal Sr/Ca and delta O-18 records of *Porites lutea* corals at Leizhou Peninsula, northern coast of South China Sea. *Global and Planetary Change* 47: 301-316.

Yu, Y.T. (2005). Longevity record of a colour-ringed Black-faced Spoonbill *Platalea minor*. *Forktail* 21: 176-177.

Yu, Y.T., & Swennen, C. (2005). Food-begging by a juvenile black-faced spoonbill at a wintering site. *Journal of the Yamashina Institute for Ornithology* 37: 43-44.

Zettel, H. (2004). Revision of the *Timasius chinai* species group (Insecta; Heteroptera: Hebridae), with descriptions of ten new species. [Including *T. gracilis* sp. nov. from HK]. *Insect Systematics and Evolution* 35: 241-260.

Zhang, T., Liu, Y., & Fang, H.H.P. (2005). Effect of pH change on the performance and microbial community of enhanced biological phosphate removal process. *Biotechnology and Bioengineering* 92: 173-182.

Zhang, X.X., Wan, Y.Q., Cheng, S.P., Sun, S.L., Zhu, C.J., Li, W.X., Zhang, X.C., Wang, G.L., Lu, J.H., Luo, X., & Gu, J.D. (2005). Purified terephthalic acid wastewater biodegradation and toxicity. *Journal of Environmental Sciences-China* 17: 876-880.

Zhang, Z.X., Cheng, D.M., Jiang, D.X., & Xu, H.H. (2004). Spread, damage and control methods of *Brontispa longissima* [which has recently spread to HK]. *Kunchong Zhishi* 41: 522-526.

Zhu, H., Cai, L., Hyde, K.D., & Zhang, K.Q. (2005). A new species of *Acrogenospora* from submerged bamboo in Yunnan, China. *Mycotaxon* 92: 383-386.

Zhu, H., & Roos, M.C. (2004). The tropical flora of southern China and its affinity to Indo-Malesian flora. *Telopea* 10: 639-648.

Porcupine! No. 33

November 2005

ISSN 1025-6946

Chief Editors: Yvonne Sadovy
Richard Corlett

Assistant Editors: Rachel Wong
Laura Wong

Wild Corner: Eric Chan
Danny Lau

Published by the Department of Ecology & Biodiversity, The University of Hong Kong.

Article submissions:
Porcupine!

Ms Eva Tam, Department of Ecology & Biodiversity The University of Hong Kong, Pokfulam Road, Hong Kong.

Tel: 22990612 Fax: 25176082

Email address:
Ecology@hkucc.hku.hk

Website:
www.hku.hk/ecology/porcupine/

Guidelines for contributions :

All contributions are welcomed. Any original article related to natural history, conservation or ecological research in Hong Kong will be considered for publication. Authors of long articles should send their work as a Word file, either by post (on disk, with hard copy attached) or by email. Original artwork should be sent by post (please indicate if return of material is required). Short articles (less than a hundred words) may be faxed or posted.

Articles from *Porcupine!* may be reprinted without permission. Please acknowledge source and author.

All authors can be contacted through *Porcupine!* unless alternative contact details have been provided.